Electrolux

일렉트로룩스 미니블렌더

사 용 설 명 서

EMB4000

1



2
a
b
3
4
b
a
5
b
a
6
b
a
7
8
9
10
11
b
a
12
b
a
13
14
15
16
17
b
a
18
b
a
19
20

한국어 고객님께

일렉트로룩스 제품을 구입해 주셔서 대단히 감사합니다.
사용하시기 전에 먼저, 본 사용설명서를 주의 깊게 읽어 보십시오. 특히 첫 페이지에 있는 안전에 대한 사항들을 자세히 읽어보십시오. 사용 중 언제라도 참고할 수 있도록 사용설명서를 잘 보관하십시오. 본 제품을 타인에게 양도할 경우엔 사용설명서와 함께 넘겨 주시기 바랍니다.

본 기호가 있거나 다음과 같은 문구들(위험! 주의! 중요!)이 표시된 내용은 고객의 안전과 제품의 올바른 기능을 위해 중요하므로 반드시 숙지해 주시기 바랍니다.

☞ 본 기호는 각 단계별 작동법을 설명합니다.

본 기호는 제품 사용에 대한 추가 정보나 실용적인 도움말을 제공합니다

본 기호는 제품의 경제적/환경 친화적인 사용에 관한 정보입니다.

제품 명칭 (그림 1)

A 필터
B 본체
C 저속 버튼
D 고속 버튼
E 코드 보관
F 마개
G 믹서기 용기 뚜껑
H 뚜껑의 거름망
I 믹서기 용기
J 믹서기 용기 칼날 봉합 링
K 믹서기 용기 칼날
L 내장된 안전 잠금장치
M 코드
N 분쇄기 용기
O 분쇄기 칼날 봉합 링
P 분쇄기 칼날
Q 분쇄기/다지기 용기 뚜껑
R 다지기 용기
S 다지기 칼날 봉합 링
T 다지기 칼날

안전에 대한 사항

본 제품은 한국 가전제품 안전기준법에 의거한 기술 기준을 충족합니다. 또한, 본 제품의 제조 및 판매사로서 저희는 사용자에게 아래와 같이 추가적인 안전 정보를 제공하고자 합니다

일반 안전사항

- 제품의 작동 전압과 가정에서 사용할 전압이 일치해야 합니다. 제품에 부착된 제품정보 표시판을 참고 하십시오.
- 제품 코드를 잡아당겨 콘센트로부터 플러그를 제거하지 마십시오
- 전원 코드가 손상되었을 경우에는 반드시 일렉트로룩스 고객 센터로 연락하시기 바랍니다.
- 제품이 높은 곳에서 떨어졌거나 눈에 띄게 손상된 경우는 사용하지 마십시오.
- 본 제품의 수리는 반드시 공인된 기술자에 의해서 이루어져야 합니다. 임의적인 수리는 위험할 수 있으니, 수리가 필요할 때에는 반드시 본사 고객센터나 구입처로 문의해주십시오.
- 아래와 같은 경우에는 플러그를 제거해 주십시오.
  - 청소나 보수 전
  - 사용 후
  - 사용 중 결함이 발생한 경우
- 어린이 등 취급이 익숙치 않은 자나 신체적, 정신적 문제가 있는 자, 혹은 경험이나 지식이 부족한 자가 본 제품을 사용하지 않도록 주의 하십시오.

어린이 안전사항

- 작동 중에는 항상 제품을 주시해 주십시오.
- 제품을 사용하는 동안에는 어린이를 주의 깊게 보호해 주십시오.
- 제품 포장재(예, 비닐봉지)는 어린이의 손이 닿지 않도록 해주십시오.

제품사용시 주의사항

제품을 사용하시기 전에 본 사용설명서를 주의 깊게 읽으신 후, 다음을 참조할 수 있도록 잘 보관하십시오.

- 제품에 전원을 연결하기 전에, 제품에 명시된 전압이 사용 장소의 전원과 일치하는지 확인하십시오.
- 전원코드, 플러그 또는 기타 부품이 손상된 경우에는 본 제품을 사용하지 마십시오.
- 전원 코드가 손상 되었을 경우에는 위험을 방지하기 위하여 반드시 일렉트로룩스 지정 서비스 센터에서 정품으로 교체하십시오.
- 부품을 분해, 조립 및 조정하기 전에 반드시 제품의 전원 코드를 뽑으십시오.
- 절대로 본체를 물 또는 다른 액체에 넣거나 흐르는 수돗물로 세척하지 마십시오. 본체를 세척할 경우에는 젖은 수건을 사용하십시오.
- 사용 후 반드시 전원 코드를 뽑으십시오.
- 어린이들의 손에 닿지 않는 장소에 제품을 보관하십시오.
- 사람이 없는 상태에서 믹서를 작동시켜 놓지마십시오.
- 표시된 최대량 및 작동시간을 초과하지 마십시오.
- 뜨거운 재료는 충분히 식힌 후 믹서기 용기에 넣거나 다지십시오(최고온도80℃/175˚F).
- 제품이 작동 중일 때는 절대로 용기 내부에 손이나 다른 물건을 넣지 마십시오.
- 칼날에 음식물이 끼어 움직이지 않으면 먼저 전원 코드를 뽑고, 칼날의 움직임을 방해하는 음식물을 꺼내십시오.
- 칼날을 세척할 경우, 날카로운 부분을 만지지 않도록 주의 하십시오. 매우 날카롭기 때문에 손을 다칠 위험이 있습니다.
- 본체를 세척하기 전에는 반드시 제품의 전원코드를 뽑으십시오.
- 일렉트로룩스가 권장하지 않거나 다른제조업체의 제품 액세서리 또는 부품은 절대 사용하지 마십시오. 이러한 액세서리나 부품을 사용했을 경우에는 보증을받을 수 없습니다.
- 작동중에 부품을 이용하여 제품을 켜거나 끄지 마십시오.
- 벽면 콘센트에 전원코드를 꽂기 전에 제품을 정확히 조립하십시오.
- 위험한 상황이 발생하지 않도록이 제품을 타이머스 위치에 연결하지 마십시오.
- 본 제품은 가정용 입니다.

안전기능

내장된 안전 잠금장치

이 기능은 본체에 각종 부품들이 올바르게 장착된 경우에만 제품의 작동을 가능하게 합니다. 부품들이 올바르게 조립된 경우에만 내장된 안전잠금 장치가 해제 됩니다.

열 차단

과열되면 제품의 전원공급을 자동으로 차단하는 열차단 장치가 들어있습니다.

제품의 작동이 갑자기 멈추는 경우

- 벽면 콘센트에서 전원코드를 뽑으십시오.
- 30분간 제품을 그대로 두어 열을 식히십시오.
- 플러그를 벽면 콘센트에 꽂으십시오.
- 다시 제품의 전원 스위치를 켜십시오.

열 차단 장치가 너무 자주 작동되면 일렉트로룩스 고객센터로 문의 하십시오.

작동 방법

본 제품은 다음과 같은 용도로 사용하실 수 있습니다.

- 혼합 주스를 만들거나
- 액체를 섞거나
- 과일이나 채소를 작게 자르거나
- 유제품(마요네즈, 소스, 크림, 토핑, 각종디저트)을 만들때나
- 야채스프나이유식을위한퓌레를만들거나
- 칵테일이나쉐이크를만들때

사용전 준비 사항

분리 가능한 모든 부품을 세척하십시오('청소'란 참조).

날카로운 칼날을 만지지 마십시오. 칼날에 음식물이 끼어 움직이지 않으면 먼저 전원 코드를 뽑고, 주걱으로 칼날의 움직임을 방해하는 음식물을 꺼내십시오.

믹서기 조립 및 사용법

1. 믹서기 용기에 믹서기 칼날을 부착하십시오(2-a). 화살표 방향으로 돌려 고정시키십시오(2-b) (그림 2).

- 믹서기 칼날에 고무 링이 제대로 끼워져 있는지 확인하십시오.

2. 용기에 재료를 넣으십시오(그림 3). 용기의 최대량 표시인 MAX 눈금 이상으로 재료를 넣지 마십시오. 권장량은 표를 참조하십시오.

용기에 온도가 80℃ 이상 되는 재료를 절대로 넣지 마십시오.

믹서기 재료	용량
과일	200g
야채	200g
야채 주스	야채 200g + 물(적당량)
밀크쉐이크	과일 150g + 우유 250ml
아몬드 차	아몬드 75g + 물 200ml + 쌀 25g (1시간 동안 물에 불린 쌀)

3. 본체에 믹서기 용기를 올려놓으십시오(4-a). 용기를 화살표 방향으로 돌려 고정시키십시오(4-b) "○ ●" 표시를 이용하여 정확하게 고정시키십시오 ('딸각' 소리가 남) (그림 4).

용기 위로 너무 강한 압력을 가하지 마십시오.

4. 용기에 뚜껑을 올려놓으십시오(5-a). 배출구 앞에 거름망이 놓여졌는지 확인하십시오(5-b) (그림 5).

5. 뚜껑의 구멍에 마개를 넣고(6-a) 단단히 고정될 때까지 돌리십시오(6-b) (그림 6).

작동하기 전에 반드시 뚜껑에 마개를 끼워서 내용물이 흘러나오지 않도록 하십시오.

6. 벽면 콘센트에 전원 코드를 꽂고 저속 또는 고속 버튼을 눌러 제품의 스위치를 켜십시오.

7. 제 품이 작동하면 양손으로 본체를 잡고 계십시오. 한 번에 1분 이상 제품을 작동시키지 마십시오. **1분 후 블렌딩이 덜 되었으면 제품의 스위치를 끄고 1분간 기다렸다가 다시 사용하십시오.**

제품이 뜨거워지면 식을 때까지 기다렸다가 다시 사용하십시오. 믹서기 작동 중에는 손가락이나 다른 물체(예 : 주걱)를 절대로 비커 안에 넣지 마십시오.

도움말

- 재료가 믹서기 용기의 벽면에 붙으면 제품의 스위치를 끄고 주걱으로 벽면에 붙은 재료를 떼어 내십시오 (그림 7).
- 내용물이 흘러나오지 않도록 최대량 표시인 **MAX** 눈금**(0.6**리터**)** 이상으로 재료를 넣지 마십시오.
- 믹서기 용기에 고체 재료를 넣을 경우 미리 작게 자른 후(1-2cm) 넣으십시오. 동시에 너무 많은 고체 재료를 넣고 작동시키지 마십시오. 조금씩 블렌딩하면서 고체 재료를 추가로 넣으십시오.

• 액체 재료(예 : 기름)는 제품이 작동하는 동안 뚜껑의 구멍을 통해서 믹서기 용기에 부으면 됩니다. (그림 8).

분쇄기 조립 및 사용법

분쇄기는 건조한 재료를 갈 때 사용합니다 (그림 9).

- 분쇄기는 견과류처럼 매우 딱딱한 재료를 다지는 데에는 적합하지 않습니다.
- 날카로운 칼날을 만지지 마십시오. 내용물이 칼날이나 벽면에 붙으면 화살표 반대 방향으로 돌려 본체에서 분쇄기 용기를 꺼내 내용물이 떨어질 때까지 흔드십시오.

1. 분쇄기 용기에 건조한 재료를 넣으십시오 (그림 10). 분쇄기 용기의 최대량 표시인 MAX 눈금 이상으로 재료를 넣지 마십시오.

   권장량은 표를 참조하십시오.

분쇄기 재료	용량
견과류(껍질을 깐 상태)	20-35g
치즈	20-50g
커피 원두	20-50g
후추 열매	5-30g
검은 깨	20-50g
쌀, 밀	20-50g
각설탕	4-8개
빵가루	식빵 한쪽
대두(마른 것)	20-50g
딱딱한 향신료(예: 정향, 계피)	2g
마른 콩	20-50g
마른 고추	15g

2. 분쇄기에 분쇄기 칼날(날이 두 개)을 돌려서 끼우십시오(11-a). 화살표 방향으로 돌려서 고정시키십시오(11-b) (그림 11).

• 분쇄기 칼날에 고무 링이 제대로 끼워져 있는지 확인하십시오.

3. 조립한 분쇄기를 거꾸로 돌린 다음 본체에 올려 놓으십시오(12-a). 분쇄기를 화살표 방향으로 돌려 고정시키십시오(12-b)
   "○ ●" 표시를 이용하여 정확하게 고정시키십시오 ('딸각' 소리가 남) (그림 12).

4. 벽면 콘센트에 전원 코드를 꽂고 저속 또는 고속 버튼을 눌러 제품의 스위치를 켜십시오 (그림 13). 제품이 작동하면 양손으로 본체를 잡고 계십시오.

• 연속해서 30초 이상 작동시키지 마십시오.

도움말

• 정향, 스타 아니스 및 아니스는 항상 다른 재료와 함께 블렌딩하십시오. 개별로 블렌딩할 경우에는 이 재료들이 제품의 플라스틱 부품을 손상시킬 수 있습니다.

• 계피와 같이 딱딱한 재료는 1×2cm보다 작은 조각으로 잘라주어야 합니다.

• 분쇄기 용기를 거꾸로 돌린 다음 칼날을 제거하고, 그 위에 플라스틱 뚜껑을 씌워 보관 용기로 사용할 수 있습니다 (그림 14).

다지기 조립 및 사용법

• 다지기는 고기, 양파, 마늘 등과 같이 물기 있는 재료를 다질 때 사용합니다 (그림 15).
날카로운 칼날을 만지지 마십시오.
내용물이 칼날이나 벽면에 붙으면 화살표 반대 방향으로 돌려 본체에서 다지기 용기를 꺼내 내용물이 떨어질 때까지 흔드십시오.

1. 재료를 작은 조각(약 1-2cm)으로 잘라 다지기 용기에 넣으십시오 (그림 16).

   다지기 용기의 최대량 표시인 MAX 눈금 이상으로 재료를 넣지 마십시오.

   권장량은 표를 참조하십시오.

다지기 재료	용량
칠리소스(칠리, 샬롯, 마늘 등)	50g
마늘	25-100g
양파	25-100g
고기	80g

2. 다지기 용기에 다지기 칼날(날이 4개)을 돌려서 끼우십시오(17-a). 화살표 방향으로 돌려서 고정시키십시오(17-b) (그림 17).

• 다지기 칼날에 고무 링이 제대로 끼워져 있는지 확인하십시오.

3. 조립한 다지기를 거꾸로 돌린 다음 본체에 올려놓으십시오(a). 다지기를 화살표 방향으로 돌려 고정시키십시오(b)
"○●" 표시를 이용하여 정확하게 고정시키십시오 ('딸깍' 소리가 남) (그림 18).

4. 벽면 콘센트에 전원 코드를 꽂고 저속 또는 고속 버튼을 눌러 제품의 스위치를 켜십시오 (그림 19).
제품이 작동하면 양손으로 본체를 잡고 계십시오.

- **연속해서 30초 이상 작동시키지 마십시오.**

도움말

- 음식물이 고루 분배되지 않아 제품이 흔들리면 제품의 스위치를 끄고 칼날을 분리하십시오. 용기에 있는 내용물을 고루 섞은 다음 칼날을 다시 부착하십시오. 그리고 제품의 스위치를 다시 켜십시오.
- 다지기 용기를 거꾸로 돌린 다음 칼날을 제거하고, 그 위에 플라스틱 뚜껑을 씌워 보관 용기로 사용할 수 있습니다 (그림 14).

필터 조립 및 사용법

이 필터를 사용하여 신선한 과일 주스, 칵테일 또는 두유를 만들 수 있습니다('요리법' 참조). 이 필터는 씨나 껍질 등이 음료 안으로 들어가는 것을 방지합니다.

필터를 무리하게 사용하지 마십시오. 한 번에 125그램 이상의 물에 불린 대두 또는 150그램 이상의 과일을 넣지 마십시오.

1. 믹서기 용기에 필터를 장착하십시오.
2. 필터 구멍을 통해 용기에 재료를 넣으십시오.
3. '믹서기' 란의 2단계부터 6단계까지 수행하십시오. (6페이지)
4. 제품이 작동하면 양손으로 본체를 잡고 계십시오. 한 번에 30초 이상 제품을 작동시키지 마십시오. 30초 후 블렌딩이 덜 되었으면 제품의 스위치를 끄고 30초간 기다렸다가 다시 사용하십시오. 제품이 뜨거워지면 식을 때까지 기다렸다가 다시 사용하십시오.

요리법

두유

이 요리법은 필터가 있어야 합니다. 연속으로 두 번 이상 사용하지 마십시오. 제품이 실내 온도와 비슷해질 때까지 기다렸다가 다시 사용하십시오.

재료

- 마른 대두 65g
- 물 400ml

- 가공하기 전에 대두를 4시간 동안 물에 불린 다음 물기를 빼십시오.
- 불린 대두를 필터 안에 넣으십시오. 믹서기 용기에 물 400ml를 붓고 30초 동안 갈아주십시오.
- 냄비에 두유를 부으십시오.
- 두유를 끓인 다음 설탕을 첨가하고 설탕이 녹을 때까지 약한 불에 끓이십시오.
- 뜨겁거나 차게 해서 드십시오.

문제 해결

문제점	원인	해결책
제품이 작동하지 않습니다.	제품에는 안전 잠금 장치가 내장되어 있습니다. 본체에 부품을 제대로 조립하지 않으면 제품이 작동하지 않습니다.	부품을 제대로 조립했는지 확인하십시오 ('제품 사용' 참조).
	제품에는 열 차단 장치가 장착되어 있습니다. 제품이 과열되면 전원이 자동으로 차단됩니다.	벽면 콘센트에서 전원 코드를 뽑고 30분간 제품의 열을 식히십시오. 그런 다음 벽면 콘센트에 전원 코드를 다시 꽂고 제품의 스위치를 켜십시오.

문제점	원인	해결책
칼날이 멈췄습니다.	제품에 음식을 너무 많이 넣었습니다.	제품의 전원을 끈 다음 적은 양을 덜어 가공하십시오.
	칼날에 음식물이 걸렸습니다.	제품의 스위치를 끄고 주걱으로 칼날에 붙은 음식물을 떼어내십시오.
최초 몇 차례 사용하는 동안 본체에서 이상한 냄새가 납니다.	이는 일반적인 현상입니다.	몇 차례 사용한 후에도 계속 이상한 냄새가 나면 사용하는 용량과 작동 시간이 적당한지 확인하십시오.
제품의 소음이 심합니다.	믹서기 용기의 뚜껑 및 마개를 제대로 끼우지 않았습니다.	뚜껑과 마개를 제대로 놓고 믹서기 용기의 배출구 앞에 거름망이 놓여졌는지 확인하십시오.
제품에서 냄새가 나며, 만지면 뜨겁고 연기도 납니다.	제품에 음식물을 너무 많이 넣었거나 너무 오랫동안 작동시켰습니다.	제품의 스위치를 끄고 내용물을 덜어내거나 작동 시간을 줄이십시오.
믹서기/다지기/분쇄기 용기에서 물이 샙니다.	용기를 제대로 끼우지 않았습니다.	용기를 제대로 끼웠는지 확인하십시오.
	제품에 음식물을 너무 많이 넣었습니다.	제품의 스위치를 끄고 음식물의 양을 줄이십시오.
분쇄기의 진동이 심하거나 소음이 많이 납니다. 또는 칼날이 튀어 나옵니다.	용기의 음식물이 칼날에 걸렸습니다.	걸린 음식물을 떼어내고 필요하면 양을 줄이십시오.
다지기에서 물이 샙니다.	고무 링이 칼날에 제대로 끼워져 있지 않습니다.	제품의 전원 코드를 뽑으십시오. 칼날을 분리하고 칼날에 고무 링이 제대로 끼워져 있는지 확인하십시오.

청소와 관리

사용 후 바로 제품과 부품을 청소하는 것이 가장 편리합니다.

연마재, 솔, 알코올 등으로 제품을 청소하지 마십시오.

본체를 물에 담그거나 식기세척기에 넣지 마십시오.

1. 제품의 전원 코드를 뽑고 분리형 부품을 모두 분리하십시오.
2. 부품을 소량의 세제와 미지근한 물 또는 식기 세척기에서 세척하거나 흐르는 물에 헹구십시오.
3. 필요하면 칼날에 있는 고무 봉합 링을 분리해 물로 헹구십시오.
4. 본체는 젖은 천으로만 닦으십시오.

색소가 많이 들어간 재료를 넣고 사용하면 제품 일부의 색이 변할 수 있습니다. 이는 정상적인 현상입니다.

5. 여분의 코드는 간편하게 제품 하단에 말아주십시오 (그림 20).

생산일자 확인 방법

본 제품에 부착되어 있는 시리얼 번호 라벨을 통해 생산일자를확인 확인하실 수 있습니다.

(예) Serial-NO : 7 25 01234

- 제조번호
- 생산주(25번째 주)
- 생산년의 마지막 년도

제품기술정보

사용전압 : 220V / 60Hz
소비전력 : 250W

Dear customer

Please read these operating instructions through carefully.
Above all please follow the safety instructions on the first few pages of these operating instructions! Please keep the operating instructions for future reference. If applicable pass these instructions on to the next owner of the appliance.

With the warning triangle and/or by means of key words (Danger!, Caution!, Attention!), information is emphasized which is important for your safety or the correct functioning of the appliance. It is essential that this information is observed.

☞ This symbol guides you step by step through the operating procedure for your appliance.

After this symbol you receive supplementary information on the practical application and use of the appliance.

Tips and information about the economical and environmentally friendly use of the appliance are marked with the clover

Description of the appliance (Figure 1)

A Filter
B Motor unit
C Low-speed button
D High-speed button
E Cord storage
F Stopper
G Blender beaker lid
H Sieve on lid
I Blender beaker
J Sealing ring of blender beaker blade unit
K Blender beaker blade unit
L Built-in safety lick
M Cord
N Mill Beaker
O Sealing ring of mill blade unit
P Mill blade unit
Q Mill/chopper beaker lid
R Chopper beaker
S Sealing ring of chopper blade unit
T Chopper blade unit

Safety instructions

This appliance corresponds to accepted technological standards with regards to safety and to the Appliance Safety Law. Nevertheless as a manufacturer we are committed to familiarise you with the following safety instructions:

General safety

- The appliance may only be connected to a power supply whose voltage and frequency comply with the specifications on the rating plate!
- Never pick up the appliance if
  - the lead is damaged,
  - the housing is damaged.
- Never use the lead to pull the plug out from the socket.
- In order to avoid danger, if the connection lead of this appliance is damaged, it must be replaced by the manufacturer, its customer service department or a similarly qualified person.
- Repairs to this appliance may only be carried out by qualified service engineers. Considerable danger may result from improper repairs. If repairs become necessary, please contact the Customer Care Centre or your authorised dealer.

- The manufacturer is not liable for any damages which are caused by using the appliance for any other purpose than that intended or incorrect use.
- This appliance is not intended for use by people (including children) who, due to lack of experience or knowledge, are unable to operate it safely, or for use by people (including children) whose physical, sensory or mental capabilities are reduced, unless a person responsible for them has shown them how to use it safely, and has supervised them initially.

Safety of children

- Only use the mini blender when supervised.
- Supervise children particularly care-fully!
- Packaging material, e.g. plastic bags, should not be accessible to children.

When using your appliance

- Check if the voltage indicated on the appliance corresponds to the local mains voltage before you connect the appliance.
- Do not use the appliance if the mains cord, the plug or other parts are damaged.
- If the mains cord is damaged, it must be replaced by Electrolux service centre in order to avoid a hazard.
- Always unplug the appliance before assembling, disassembling or making adjustments to any of the parts.
- Never immerse the motor unit in water or any other liquid, nor rinse it under the tap. Use only a moist cloth to clean the motor unit.
- Unplug the appliance immediately after use.
- Keep the appliance out of the reach of children.
- Never let the appliance run unattended.
- Do not exceed the maximum quantities and processing times indicated in the tables.
- Let hot ingredients cool down before chopping them or pouring then into the blender beaker (max. temperature 80°C/175°C)
- Never reach into the beaker with your fingers or an object while the appliance is running.
- If the blades get stuck, unplug the appliance before removing the ingredients that are blocking the blades
- Avoid touching the cutting edges of the blade units when cleaning them. they are very sharp and you could easily cut your fingers on them.
- Always unplug the appliance before you start cleaning the motor unit.
- Never use any accessories or parts from other manufacturers or that have mot been specifically advised by Philips .Your guarantee will become invalid if such accessories or parts have been used.
- Never use the parts to switch the appliance on and off.
- Assemble the appliance properly before putting the plug in the wall socket.
- In order to avoid a hazardous situation, this appliance must never be connected to a timer switch.
- This appliance is intended for household only.

Built-in safety lock

This feature ensures that you can only switch the appliance on when the parts have been placed in the motor unit in the correct position. When the parts have been assembled correctly, the built-in safety lock will be unlocked.

Thermal cut-out

The appliance is equipped with a thermal cut-out that automatically cuts off the power supply to the appliance if it overheats.

If the appliance suddenly stops running:

Pull the plug out of the wall socket.

Let the appliance cool down for 30 minutes.

Put the plug in the wall socket.

Switch the appliance on again.

Contact your Electrolux dealer or an authorized Electrolux service centre if the thermal cut-out, is activated too often.

In order to avoid a hazardous situation due to inadvertent resetting of the thermal cut-out, this appliance must never be connected to a timer switch., the built-in safety lock will be unlocked.

Operation

You can use the blender e.g. for
- produce mixed drinks, mixing liquids,
- cutting up fruit and vegetables verysmall,
- producing emulsions (e.g. mayonnaise, sauces, cremes, toppings, and deserts based on dairy products),
- making pur`ee for vegetable soups or boiled baby-food,
- preparing coctails and shakes.

Preparing for use

Before using for the first time, it is advisable for reasons or hygiene to clean the mixing attachment.

Dry the mixing attachment well before using it.

Inserting/removing the mixing attachment (Figure 3)

⚠ Before inserting or releasing the mixing attachment, switch off the blender and remove the plug from the mains socket!

Insert the mixing attachment to the motor part and lock it by turning clockwise.

Tor remove, unlock the mixing attachment by turning it anticlockwise.

Working with the blender

ℹ I Wash all detachable parts (see chapter 'Cleaning').

Blender

The blender is intended for:
- Blending fluids, e.g. dairy products, sauces, fruit juices, soups, mixed- drinks, shakes.
- Mixing soft ingredients, e.g. pancake batter.
- Pureeing cooked ingredients, e.g cooked beans, preparing baby food.

IAvoid touching the sharp blades. If the blades get stuck, unplug the appliance and remove the ingredients that are blocking the blades with a spatula.

1. Attach the blender blade unit to the blender beaker (2-a).
   Fix it by turning it in the direction of the arrow (2-b) (fig.2).
   Make sure the rubber ring has been placed properly on the blender blade unit.
2. Put the ingredients in the beaker (fig.3).
   Do not fill the beaker beyond the MAX indication see the table for the recommended quantities.

Never fill the beaker with ingredients that are hotter than 80°C.

Ingredients blender	Quantities
Fruit	200 g
Vegetables	200 g
Vegetable juice	200 g vegetables water (optimal)
Milkshake	150 g fruit +250 ml
Almond tea	75 g almonds +200 ml water + 25 g rice (soaked for l hour)

3. Place the blender beaker on the motor unit (4-a). Fix the beaker by turning it in the direction of the arrow (4-b). Use the "○ ●" mark to fix it correctly (click) (fing.4).

   Be careful not to exert too much pressure on the beaker.

4. Put the lid on the beaker (5-a).Make sure that the sieve is located in front of the spout (5-b) (fig.5).

5. Place the stopper into the opening in the lid (5-a) and turn it until It is firmly fixed (5-b) (fig.5.).

   To avoid spillage, always insert the stopper into the lid before you start processing.

6. Put the plug in the wall socket and switch on the appliance by pressing the low-speed or high-speed button.

7. Hold the motor unit firmly with both hands when operating the appliance. Do not operate the appliance longer than l minute at a time. If you have not finished blending after l minute, switch the appliance off and wait l minute before you continue using it. If the appliance becomes hot, let it cool down before you continue using it.

   Never reach into the beaker with your fingers or an object (e.g. a Spatula) while the blender is running.

Tip

- If the ingredients stick to the wall of the blender beaker, switch the appliance off and loosen the ingredients from the wall with a spatula (fig.7).
- To avoid spillage, never fill the beaker above the MAX indication (0.6 liters).
- Cut solid ingredients into smaller pieces (1-2 cm) before putting them in the blender beaker
- Do not process a large quantity of Solid ingredients at the same time. Process these ingredients in a series of small batches instead.
- Liquid ingredients (e.g. oil) can be poured into the blender beaker through the opening in the opening in the lid while the appliance is running (fig.8).

Mill

The mill is intended for grinding dry ingredients(fig.9).

- **The mill is intended for grinding dry ingredients, such as nutmeg.**
- **Avoid touching the sharp blades. If the ingredients stick to the blade unit or the wall, removes the mill beaker from the motor unit by turning it in the direction opposite to that indicated by the arrow, and shake until the ingredients get loose.**

1. Put the dry ingredients in the mill beaker (fing.10).
   Do not fill the mill beaker beyond the MAX indication. See the table for the recommended quantities.

Ingredients mill	Quantities
Nuts (shelled)	20-35 g
Cheese	20-50 g
Coffee beans	20-50 g
Pepperwoods	5-30 g
Black sesame seeds	20-50 g
Raw rice, wheat	20-50 g
Sugar cubes	4-8 cubes
Breadcrumbs	one slice of bread
Soy beans (dried)	20-50 g
Hard spices, e.gg. cloves and cassia	2 g
Dried beans	20-50 g
Dried chilies	15 g

2. Screw the mill blade unit (which has two blades) onto the mill beaker (11-a).Fix it by turning it in the direction of the arrow (11-b) (fig.11).
   - Make sure the rubber ring has been placed properly on the mill blade unit.
3. Turn the assembled mill upside down and place it on the motor unit (12-a).Fix the mill by turning it in the direction of the arrow (12-b)
   Use the "○ ●" mark to fix it correctly (click) (fig.12).
4. Put the plug in the wall socket and switch on the appliance by pressing the low-speed or high-speed button (fig.13).
   Hold the motor unit firmly with both hands when operating the appliance.
   Never use the mill for more than 30seconds without interruption.

Tip

- Always process cloves, star anise and aniseed together with other ingredients. If processed separately, then ingredients may attack the plastic materials of the appliance.
- Hard spices such as cassia must be cut into pieces smaller than 1x2 cm.
- The mill beaker can be used as storage container by turning it upside down and putting the plastic lids on it (fig.14).

Chopper

The chopper is intended for chopping moist ingredients such as meat, onion ,garlic etc (fig.15).

Avoid touching the sharp blades .If the ingredients stick to the blade unit or the wall, remove the chopper beaker from the motor unit by turning it in the direction opposite to that indicated by the arrow, and shake until the ingredients get loose.

1. Cut the ingredients into smaller pieces (approx.1-2cm) and put them in the chopper beaker (fig.16). Do not fill the chopper beaker beyond the MAX indication.
   See the table for the recommended quantities

Ingredients mill	Quantities
Chili paste (chili, shallot, garlic, etc.)	50 g
Garlic	25-100 g
Onions	25-100 g
Meat	80 g

2. Screw the chopper blade unit (which has four blades)onto the chopper beaker(17-a). Fix it by turning it in the direction of the arrow (17-b)(fig.17).

- Make sure the rubber ring has been placed properly on the chopper blade unit.

3. Turn the assembled chopper upside down and place it on the motor unit (18-a).fix the chopper by turning it in the direction of the arrow (18-b)
Use the "○ ●" mark to fix it correctly (click) (fig.18).

4. Put the plug in the wall socket and switch on the appliance by pressing the low-speed or high-speed button (fig.19).

Hold the motor unit firmly with both hands when operating the appliance.

Never use the chopper for more than 30 seconds without interruption.

Tip

- If the appliance shakes because the food is not evenly distributed, switch the appliance off and remove the blade unit, Distribute the ingredients evenly in the beaker and reattach the blade unit. Then switch the appliance on again.
- The chopper beaker can be used as storage container by turning It upside down and putting the plastic lids on it (fig.14).

Filter

With this filter you can make delicious fresh fruit juices, cocktails or soy milk (see also Recipes). The filter prevents pips and skins from ending up in your drink.

Never overload the filter. Do not put more than 125g of presoaked soy beans or 150g of fruit in the filer at same time.

1. Put the filter in the blender beaker.
2. Put the ingredients in the beaker through the opening in the filter.
3. Follow steps 2 to 6 under the heading 'Blender')(p14~15)
4. Hold the motor unit firmly with both hands when operating the appliance. Do not operate the appliance linger than 30 seconds.

At a time If you have not finished blending after 30 seconds, switch the appliance off and wait 30 seconds before you continue using it. If the appliance becomes hot, let it cool down before you continue using it.

Soy milk

This recipe can only prepared with the filter. Do not process more than one batch in a row. Let the appliance cool down to room temperature before you continue processing.

Ingredients:
- 65 g dried soy beans
- 400 ml water

- Soak the soy beans for 4 hours before processing them. Set aside to drain.
- Put the soaked soy beans in the filter. Pour 400ml of water into the blender jar and blend for 30 seconds.
- Pour the soy milk into a pan.
- Bring the soy milk to the boil, then add sugar to taste and leave to simmer until all the sugar has melted. Serve hot or cold.

Guarantee & service

If you need information or if you have a problem, please contact the Electrolux Customer Care Center in your country.

Troubleshooting

Problem	cause	solution
The appliance does not work	The appliance is equipped with a built-in safety lock, If the parts have not been properly assembled onto the motor unit, the appliance does not work.	Check weather the parts have been assembled properly (see chapter "Using the appliance")
	The appliance is equipped with a thermal cut-out, If the appliance overheats, it automatically cuts off the power supply	Pull the plug out of the wall socket and let the appliance cool down for 30 minutes. Then put the plug back onto the wall socket and switch the appliance on again.
The blade unit is blocked.	There Is too much food in the appliance.	Switch the appliance off and process a smaller quantity.
	Food is sticking to the Blades	Switch the appliance off and dislodge the food from the blades with a spatula.
The motor unit gives off an unpleasant smell during the first few times	This is normal	If the appliance continues to give off this smell after you have used it a few times check whether the quantity you are processing and the processing time are correct.
The appliance makes a lot of noise.	The blender beaker lid and/or the stopper have not been properly placed.	Make sure the lid and the stopper are properly placed and the sieve in the lid is in front of the spout of the blender beaker.

The appliance smells, feels hot to the touch. emits smoke, etc. operating too long	There Is too much food in the appliance or the appliance has been reduce the operating operating time.	Switch the appliance off and process a smaller quantity or
The blender/chopper/ mill beaker leaks.	The beaker has mot been properly attached attached.	Make sure the breaker has been properly
	There is too much food In the appliance.	Switch the appliance off and process a smaller quantity.
The mill vibrates, strongly produces a lot of noise or the blade unit is out of alignment.	The food in the beaker is blocking the blades.	Clear the blockage and process a smaller quantity.
The chopper leaks.	The rubber ring has not been properly placed onto the blade unit.	Unplug the appliance. Remove the blade unit and make sure the rubber ring has been properly placed onto the blade unit.

⚠ Cleaning and care

Cleaning the appliance and its parts is easiest immediately after use.

☞ **Do not use abrasives, scourers, alcohol, etc to clean the appliance.**

☞ **Never immerse the motor unit in water or clean it in the dishwasher.**

1. Unplug the appliance and remove the detachable parts.
2. Clean the parts in lukewarm water with sine washing-up liquid and rinse them under the tap or clean them in the dishwasher.
3. If necessary, remove the rubber sealing ring from the blade units and rinse it with water.
4. Use only moist cloth to clean the motor unit.
   Parts of the appliance may become discolored when it is used to process ingredients that contain a lot of pigment, this is normal.
5. Wind excess mains cord round the base of the appliance for easy storage (fig.20).

Technical data

Mains voltage: 220 V / 60Hz
Power consumption: 250 W

품 질 보 증 서

제 품 명	미니 블렌더	
모 델 명	EMB4000	
구 입 일	년 월 일	
판 매 자	상호	
	성명	전화
보 증 기 간	구입일로부터 1년	

- 본 제품은 일렉트로룩스사의 탁월한 기술과 철저한 품질관리로 생산되었으며, 엄격한 검사에 합격한 제품입니다.
- 소비자가 정상적인 사용중 1년 이내에 제조사의 결함이나 자연발생적으로 고장이 생겼을 때에는 그 수리나 부품의 교환을 무상으로 해드릴 것을 보증합니다.
- 보증 기간이 지났거나 보증기간 이내의 잘못된 사용이나 사고로 인한 제품 손상, 사용부주의 설치상의 잘못, 자의적 변경 및 수리, 영업용 목적의 사용, 제품설명서에 규정된 요건이나 규정의 미준수 등으로 인한 고장이나 성능상 하자의 경우 제품 보증이 적용되지 않습니다. 또한 전구나 유리용기 및 플라스틱 용기 같은 부속품에는 적용되지 않습니다.
- 고장이 아닌 경우 서비스를 요청하시면 요금을 받게 되므로 반드시 사용설명서를 읽어 주십시오.
- 사용 중 의문나는 사항이 있거나 서비스를 원하실 경우에는 당사 고객센터로 연락하시기 바랍니다.

Electrolux

수 입 판 매 원 : 일렉트로룩스 코리아(주)

서울시 서초구 서초동 1337-31 산학협동재단빌딩 15층

고 객 센 터 : 1566-1238

www.electrolux.co.kr