



*Thinking of you*  
**Electrolux**



**Convection Oven EOT6503S**

**EN Instruction book ..... 3-17**

Before using the appliance for the first time, please read the safety advice

**CNS 说明书 ..... 18-32**

首次使用本电器前，请阅读安全建议

**KR 설명서 ..... 33-47**

제품을 처음 사용하기 전 안전 지침을 읽어 보십시오

## Safety advice

Check if your electricity supply has the same voltages as those stated in the label of the appliance before connecting it.

Always switch off the electrical supply before carrying out any cleaning/maintenance work.

Do not use the electrical cable for dragging or pulling the appliance.

Do not allow the electrical cable come into contact with sharp elements or edges to avoid it gets damaged.

Never switch off the appliance by the electrical cable. Use the plug.

Do not tie, twist, stretch, or secure the electrical cable.

If electrical cable is damaged, it should be replaced by the Electrolux Authorized Service or by qualified technicians to avoid risky situations.

To avoid electric shock risks, do not wet nor use the appliance with wet hands, do not immerse the electrical cable, plug or appliance in water or other types of liquids or flammable materials.

People (including children) who, because of their physical, sensory, or mental capacities or their inexperience or ignorance are not able to use the appliance safely, should not use this device without supervision or instruction by a responsible person.

Do not allow children to play with the oven.

Once you removed all packaging from the appliance, keep children away from packaging materials.

Use original spare parts. This avoids device damages and risks to those who handle it.

This appliance is for household use only.

The electric oven should be off before being connected to or disconnected from socket nearby.

An extension cord may be used if it meets the electric oven characteristics and voltage. Check information on the label at the bottom of the appliance or contact an Electrolux Authorized Service.

Temperature of doors or accessible surfaces may be high while the oven is in use. Therefore, do not touch any surface, except for the oven door handle and control panel when it is in use.

Ensure the electrical cable is not exposed to hot surfaces while the oven is in use.

Do not place the oven next to gas cylinders or any other type of gas device.

Avoid burns! Do not touch oven hot pieces and avoid contact with steam of hot liquids. Use oven handles. Do not clean or put away while it is hot.

Before putting the accessories in the electric oven, check the oven is off and cold.

Leave a 10cm space around the oven, so that the air may flow properly.

Do not cover the oven and do not allow it to come into contact with flammable materials (including curtains, carpets, walls, etc.) while it is hot or in use, since this may cause a fire.


Do not put any object on or under the oven.

This product is not destined to be controlled by an external timer or any separate remote control system.


\* For your safety and convenience, only professionals trained by Electrolux are authorized to repair the appliance.

# Description of your electric oven

EN




- 1. Glass Door
- 2. Door Handle
- 3. LCD Display
- 4. Convection System
- 5. Function Button
- 6. Start/Cancel
- 7. Temperature/Toasted Level
- 8. Time/Slices/Size
- 9. Temperature/Timer Button
- 10. Program



- 11. Toast Darkness
- 12. Temperature
- 13. Convection Icon
- 14. Number of Slices
- 15. Pizza Size
- 16. Cooking Time
- 17. Oven Shelf
- 18. Breadcrumbs Tray
- 19. Pizza Refractory Tray
- 20. Baking Refractory Tray

# Description of your electric oven

## Convection System

The quick cooking fan system makes air flow around the food to obtain an easier and uniform cooking. It is activated by default setting for cookie baking, roasting, pizzas, and reheating. It may also be activated during heating cycle. The fan symbol  on the right of the temperature display states if the quick cooking fan has been activated. For most receipts, a 15°C reduction is recommended if convection cooking is used. Always check food 10 minutes before reaching the suggested cooking time to avoid overcooking. To obtain best results, increase airflow by putting the pieces in the centre of the oven shelf, cook uncovered, and use, if possible, tools with low sides.

## Start/Cancel


It starts and cancels the Electric Oven cooking functions. When the oven is in use, only the selected cooking function will be shown on the LCD display. When it is in stand-by mode, all cooking functions are shown.

## Removable breadcrumbs tray

When you open the oven door, you can have access to the breadcrumbs tray. This tray is at the bottom, in the oven interior.

You can remove it easily for its cleaning. It is recommended to wash it by hand.

Let the oven cool down before removing the tray.



## Advanced Cooking Technology

Thermal elements use halogen and quartz infrared technology. These elements use infrared light waves to pre-heat the oven and cook foods quicker than conventional ovens. Elements switch between on and off during the normal use to cook foods more uniformly.

## Pre-heating

Due to quick heat-up of infrared thermal elements, pre-heating time is much shorter than the time used by toaster ovens with conventional thermal elements. For example, the pre-heating stage of baking function takes around 3 minutes to reach 155°C.

# Description of your electric oven

EN

## Control Panel

The easy-to-read large LCD display shows the cooking functions and the selected adjustments. Large control buttons make easier the navigation of functions and different adjustments.

## Time Control

To toast bread and doughnuts, the timer shows the duration time missing, depending on the toasted level selected from over the 5 toasted levels. For a pizza, the timer shows the duration time missing based on the selected number of pieces of pizza. Alternatively, the pizza cooking time may also be adjusted. For all other functions, the timer allows the user to adjust the cooking time and, during the function, to see the duration time missing.

## Non-stick Interior of the Electric Oven


The non-stick interior makes easier the cleaning of the interior surface. The 17L interior has enough space to cook a 30cm pizza or bake 6 bread slices.

# How To Adjust Oven Shelf Positions


To guarantee a food uniform cooking, it is important to use the shelf in its proper position. Always check that food is at least at 2.5cm from the cooking elements, and always watch the food during cooking. It may be necessary to change food at a lower shelf position if the surface is too brown or change it at a higher position if the base is browning too much.

## Guide bars


Top guide bar  
Shelf side UP




Top guide bar  
Shelf side DOWN




Intermediate guide bar  
Shelf side UP




Intermediate guide bar  
Shelf side DOWN



Bottom guide bar  
Shelf side UP




Bottom guide bar  
Shelf side DOWN



## Before using your electric oven

EN

1. Carefully remove all packaging from the box, check if all accessories are included, and ensure that the Electric Oven and accessories are not damaged. If there is any damaged or missing piece, contact our Customer Service department.
2. Remove any printed material or tape from the Electric Oven, and then supervise the oven interior by opening the oven door and looking at inside. Be sure that any packaging material or rare object remains in the Electric Oven interior.
3. After inspection, place the Electric Oven on a desk or table to secure it levelled.
4. Remove and wash all accessories with hot water and soap and dry them completely before putting them again in the oven.
5. Connect the oven to a socket with the same voltage as the appliance. The Electric Oven should be the only device connected to that socket.
6. Adjust the oven in the mode  at 215°C during 15 minutes and press the start button.
7. Upon this procedure is completed; the Electric Oven is ready to be used.

### NOTE:

When the oven is used for the first time, it may emit a soft subtle odour and some fume. This is normal. Later, they disappear. This does not mean the device has any problem.

### WARNING:


Do not use roasting bags, plastic containers, or glass tools that are improper for oven high temperatures.




Check foods do not come into contact with the oven heating elements. In case the food catches fire during cooking, keep the oven door closed, turn it off immediately, and disconnected it from the socket.

**WARNING!** Always use protection gloves when putting or removing foods to/from the hot oven.

## Bake Function

Put the food on the shelf and adjust the shelf position, so that the food is in the centre of the Electric Oven. A good initial position consists of placing the shelf side up in the bottom guide bars. Be sure of leaving a space for foods that increase their size during cooking, by placing them at a lower position in the Electric Oven. Due to top and bottom thermal elements start working during this function, the adjustment of the shelf position side up or down might be necessary for a uniform cooking.

The convection system is activated by default for a quicker and uniform cooking. This function may be deactivated by pressing the Conv  button.

1. After centring the food in the Electric Oven and closing the door, turn the menu function button to .
2. Temperature is pre-programmed at 155°C and for 30 minutes. If you want to change this adjustment, press the Temperature/Toasted Level button, and then turn the Temperature/Timer button to the position of the desired cooking temperature, stated in the receipt or packaging and press the program  button. When pressing  button, the temperature (or toasted level, time, size, slice) you have selected/ adjusted will be programmed. However, by pressing the Time/Slices/Size button or the Start/Cancel button or, simply, waiting for five minutes, temperature will also be set automatically.
3. Press the Time/Slices/Size button and turn the Temperature/Timer button until the desired cooking temperature appears.
4. Press the Start/Cancel button to start cooking.
5. After the time elapses, an audible signal will sound and the oven will switch itself off automatically.
6. If you want to take the food off before the audible signal sounds, just press the Start/Cancel button to switch off the Electric Oven. Then, take the food off the oven.

### WARNING:

**Failure to follow these instructions may cause death, fire, or electrical shock.**


## Roast Function

Roast function is normally used to cook foods from top to bottom, and to obtain a golden aspect in the upper part by the activation of the top thermal elements only. The nearer the food is from the superior thermal elements, the quicker the foods get brown by using the intermediate or top guide bars. However, be sure of leaving always at least a 2.5 cm distance between the food and the thermal elements. If food is too brown, then you should lower the shelf or reduce temperature.

## Features

EN

The convection system is off by default and may not be activated.

1. Put the food you want to roast in the centre of the shelf and close the oven door. The Electric Oven does not have an open door function, so that the door should be closed while in use.
2. Turn the function button to the position .
3. By default, temperature is set at 230 °C and for 10 minutes. If you want to change this temperature adjustment, press the Temperature/Toasted Level button, and then turn the Temperature/Timer button to select 200°C for a mean temperature or 155°C for a low temperature.
4. Press the Time/Slices/Size button, and then turn the Temperature/Timer button to set the desired cooking time.
5. Press the button Start/Cancel to switch on the oven.
6. Watch food roasting progress, since golden aspect with infrared elements may be obtained very quickly.
7. When you want to roast food on both sides, set the cooking time for each side. When an audible signal sounds, the oven will switch itself off automatically, and you may turn the food over and adjust the oven for the cooking of the other side of the food.
8. After the time elapses, an audible signal will sound and the oven will switch itself off automatically.
9. If you need to take the food off before the cycle ends, just press the Start/Cancel button to switch off the Electric Oven. Then, take the food off the oven.

### NOTE

**Be sure that there is always at least 2.5 cm distance between the food you want to roast and the top thermal elements of the oven. For fish or chicken, or when you do not want to brown food too much, place the oven shelf in a bottom position.**


### Toasting Function

Regardless of the number of slices, the bread should always be put on the oven shelf and as in the centre as possible for a uniform toast. In general, bottom guide bars with the shelf side up offer the most uniform results, since both top and bottom thermal elements start working during this function. Adjust the shelf position, as it may be necessary, depending on the type of bread you want to toast.

Top thermal elements toast more than bottom elements do. The convection system is off by default and may not be activated.

1. Put the piece of bread to be toasted directly on the oven shelf. Toast up to six slices of bread at the same time. When you toast only one or two slices, place them in the middle of the oven shelf.

# Features

2. Close the Electric Oven door.
3. Turn the function button to the position .
4. Press the Temperature/Toasted Level button and turn the Temperature/Timer button to the desired toasted level shown on the LCD display.
5. Press the Time/Slices/Size button. Then, turn the Temperature/Timer button to select the number of slices you want to toast. This number will be shown on the LCD display.
6. Press the Start/Cancel button to switch on the oven.
7. After the time elapses, an audible signal will sound and the oven will switch itself off automatically.
8. If you need to take the food off before the cycle ends, just press the Start/Cancel button to switch off the Electric Oven. Then, take the food off the oven.

## NOTE:

It is normal that condensation appears in the glass when you toast wet or fresh bread.


## IMPORTANT

When the Electric Oven is in Toasting Function, time adjustment is replaced by the Toasted level and number of slices.

## Bread Roll Function (Bagels)

Bread rolls (and Bagels) should be cut in half and place them with the cut side up. Regardless of the number of slices, the rolls should always be put directly on the shelf and as in the centre as possible to obtain a uniform toast. In general, bottom guide bars with the shelf side up offer the most uniform results, since both top and bottom thermal elements start working during this function. Adjust the shelf position, as it may be necessary, depending on the type of bread you want to toast.

The convection system is off by default and it may not be activated.

1. Put the roll halves (or bagel halves) to be toasted directly on the shelf. Toast up to six halves at the same time. When you toast two halves only, place them in the centre of the oven shelf.
2. Close the Electric Oven door.
3. Turn the function button to the position .
4. Press the Temperature/Toasted Level button and turn the Temperature/Timer button to the desired toasted level, shown on the LCD display.
5. Press the Time/Slices/Size button and then, turn the Temperature/Timer button to select the number of slices to be toasted. This number will be shown on the LCD display.

## Features


EN


6. Press the Start/Cancel button to switch on the oven.
7. After the time elapses, an audible signal will sound and the oven will switch itself off automatically.
8. If you need to take the food off before the cycle ends, just press the Start/Cancel button to switch off the Electric Oven. Then, take the food off the oven.

### Pizza Function

The pizza should be cooked in the pizza baking tray provided and it should be put in the Electric Oven, so that it is not in contact with the door when this is completely closed. The shelf should be between the guide bars. For frozen or pre-made pizzas, it is recommended to follow provider's instructions.

The Electric Oven has defaulting programs for 2, 4, or 6 pieces of pizza.


Convection system is activated by default for a quicker and uniform cooking. This function may be deactivated by pressing the Conv  button.


1. Turn the function button to the position .
2. Temperature is pre-programmed at 200°C. To change the pre-programmed temperature, press the Temperature/Toasted level button and then, turn the Temperature/Timer button to the desired temperature position.
3. Press the Time/Slices/Size button and then, turn the Temperature/Timer button to select the pizza you want to bake. This number will be shown on the LCD display.
4. In the setting, there are 5 minutes to pre-heat the oven, then, an audible signal will sound to put the pizza in the oven. By default, standard cooking times are 8 minutes for 2 pieces of pizza, 9.30 minutes for 4 pieces of pizza and 13 minutes for 6 pieces of pizza. To change the cooking time, press the Time/Slices/Size button and turn the Temperature/Timer button to select the desired time.
5. Press the Start/Cancel button to switch on the oven.
6. After the time elapses, an audible signal will sound and the oven will switch itself off automatically.
7. If you need to take the food off before the cycle ends, just press the Start/Cancel button to switch off the Electric Oven. Then, take the food off the oven.

### Cookies Function

Put the homemade or prepared cookies mixture in the baking tray, pizza baking tray, or any other suitable tool for the oven, which do not prevent the Electric Oven door from being completely closed. Put the shelf side down in the intermediate guide bars. This will make possible a uniform cooking, since both top and bottom thermal elements start working during this function.


# Features


Convection system is activated by default for a quicker and uniform cooking. This function may be deactivated by pressing the Conv  button.

1. Put the baking tins with the cookies mixture in the baking tray.
2. Close the Electric Oven door.
3. Turn the function menu to the position .
4. The temperature is pre-programmed at 170° C and for 11 minutes. To change the pre-programmed temperature, press the Temperature/Toasted Level button, and then turn the Temperature/Timer button to the desired temperature.
5. The defaulting time is 11 minutes. To change the defaulting time, press the Time/Slices/Size button and turn the Temperature/Timer button to the desired temperature.
6. Press the Start/Cancel button to switch on the oven.
7. After the time elapses, an audible signal will sound and the oven will switch itself off automatically.
8. If you need to take the food off before the cycle ends, just press the Start/Cancel button to switch off the Electric Oven. Then, take the food off the oven.

## Reheat Function

Ideal to heat food quickly, top and bottom thermal elements will start working during this function. Food should be placed in the centre of the Electric Oven. Put the shelf side up in the bottom guide bars. It may be necessary to adjust the shelf side up or down to heat uniformly.

Convection system is activated by default for a quicker and uniform cooking. This function may be deactivated by pressing the Conv  button.


1. After centring the food in the Electric Oven and closing the door, turn the menu function button to .
2. Temperature is pre-programmed at 155°C and for 15 minutes. If you want to change this adjustment, press the Temperature/Toasted Level button and then, turn the Temperature/Timer button to the desired reheating temperature.
3. Press the Time/Slices/Size button and then turn the Temperature/Timer button to establish the desired reheating time.
4. Press the Start/Cancel button to start reheating.
5. After the time elapses, an audible signal will sound and the oven will switch itself off automatically.
6. If you need to take the food off before the cycle ends, just press the Start/Cancel button to switch off the Electric Oven. Then, take the food off the oven.


# Features

EN

## Heating Function

Ideal for keeping the food warm, top and bottom thermal elements will start working during this function. Food should be placed in the centre of the Electric Oven, so a good initial position would be placing the shelf side up in the bottom guide bars. It may be necessary to adjust the position of the shelf side up or down to heat uniformly.

Convection system is activated by default for a quicker and uniform cooking. This function may be deactivated by pressing the Conv  button.

1. After centring the food in the Electric Oven and closing the door, turn the menu function button to HEAT  position.
2. Temperature is pre-programmed at 65°C and for 1 hour. If you want to change this adjustment, press the Temperature/Toasted level button and then, turn the Temperature/Timer button to the desired heating temperature.
3. Press the Time/Slices/Size button and then, turn the Temperature/Timer button to set the desired heating time.
4. Press the Start/Cancel button to start heating.
5. After the time elapses, an audible signal will sound and the oven will switch itself off automatically.
6. If you need to take the food off before the cycle ends, just press the Start/Cancel button to switch off the Electric Oven. Then, take the food off the oven.

## Cleaning and maintenance

- First switch off the oven and disconnect it from the power supply before carrying out any cleaning operation.
- Be sure that the Electric Oven and all surfaces have had enough time to cool down.
- For daily cleaning, rub the exterior surface with a clean and wet cloth.
- The oven shelf, pizza tray, baking tray, and breadcrumbs tray are eligible for dishwashers, but they should be wash in the top shelf of the machine. To clean by hand, wash with hot water and soap, rinse and dry well before putting the accessories again in the Electric Oven.
- The oven interior has been manufactured with a non-stick surface. Clean only with soft cloth or other soft surface material. Do not use abrasive or metallic cleaners in the interior, since you could damage the non-stick surface.
- Do not use steel wool. Parts of it could touch electrical parts and cause electrical shocks.
- Do not immerse the Electric Oven in water or any other liquid.
- The glass door may be cleaned with a wet sponge and then, it may be dried with paper or towel paper.
- Check that all pieces of the appliance are dried before connecting it again in the socket.

### **NOTE:**

**Foods based on sugar and salt tend to adhere in all surfaces and are very difficult to clean. When cook this type of foods, clean the tray and shelf immediately after its use.**

# Troubleshooting

EN

Electrolux teaches the consumer how to identify, at home, some problems that may interfere in the device performance. If its performance does not improve, consult the Electrolux Authorized Service.


| <b>Problem</b>   | <b>Possible Solutions</b>   |
|--|---|
| The oven does not switch on  | <ul style="list-style-type: none"><li>• Check the plug is well inserted in the socket</li><li>• Connect the electrical cable to another socket</li><li>• Re-establish the general circuit breaker, if necessary</li></ul>   |
| The LCD display light does not come on   | <ul style="list-style-type: none"><li>• The display may be in stand-by mode after 60 seconds of not being used. The display light will come on after pressing any button.</li></ul>   |
| The time, temperature, size, slice, or toasted level does not change when turning the Temp/Timer button. | <ul style="list-style-type: none"><li>• Setting of time, temperature, size, slice, and toasted level will be automatically selected after 5 seconds of inactivity. To adjust the setting, just press the button for the option you want to change and adapt it to your preferences.</li></ul> |
| Bottom thermal elements are not as brilliant as the top thermal elements                                 | <ul style="list-style-type: none"><li>• This is normal because top thermal elements are halogen infrared giving out a brilliant light, while bottom thermal elements are not.</li></ul>   |
| Thermal elements do not remain on during the cooking cycle.  | <ul style="list-style-type: none"><li>• This is normal because the oven regulates the on and off temperature of the thermal elements during the cooking cycle.</li></ul>  |
| Biggest foods, such as pizza, do not cook or get brown uniformly   | <ul style="list-style-type: none"><li>• Biggest foods, such as 12" pizzas, may get brown uniformly if you turn them 90 degrees at half cooking time.</li></ul>  |
| If after reading all this User and Care Manual, you still have questions:                                | <ul style="list-style-type: none"><li>• Contact our Customer Service department at the telephone number appearing in the guarantee section of this User and Care Manual.</li></ul>  |

# Disposal

## Packaging materials

The packaging materials are environmentally friendly and can be recycled. The plastic components are identified by markings, e.g. >PE<, >PS<, etc. Please dispose the packaging materials in the appropriate container at the community waste disposal facilities.

## Old appliance

The symbol  on the product or on its packaging indicates that this product may not be treated as household waste. Instead it shall be handed over to the applicable collection point for the recycling of electrical and electronic equipment. By ensuring that this product is disposed of correctly, you will help prevent potential negative consequences for the environment and human health, which could be otherwise be caused by inappropriate handling of this product. For more detailed information about recycling this product, please contact your household waste disposal service of the shop where you purchased the product.

# 安全说明

CNS

在连接电烤箱的电源前，首先检查您家中的供电电压与电烤箱标签上标明的电压是否相同。

在进行任何清洗/维修工作前，应始终断开电源。

禁止用电烤箱的电线来拉扯电烤箱。

电线不得接触任何尖锐、锋利物品或边缘，以免被损坏。

切勿通过拔掉电烤箱上的电线来关掉电烤箱。应拔掉电源插头。

切勿捆绑、缠绕、拉伸或挤压电线。

当电线发生损坏时，应由伊莱克斯授权服务人员（Electrolux Authorized Service）或有资格的技术人员进行更换，以防止出现危险状况。

为防止发生电击事故，切勿弄湿电烤箱或以湿手使用电烤箱，并禁止将电线、电源插头或电烤箱浸入水中或其他类型的液体或可燃物中。

对于因身体、感官或心智缺陷、经验不足或对该产品缺乏了解而无法安全使用该电烤箱的成人或儿童而言，使用该电器时身旁必须有一名负责人对其进行监督或向其提供指导。

切勿让儿童用该电烤箱来玩耍。

避免儿童接触从电烤箱上拆下的包装材料。

应使用原厂备件。这不仅可防止损坏电烤箱，还可确保该电烤箱的使用者或维修人员的人身安全。

该电烤箱仅供家庭使用。

在将电烤箱连接到附近的电源插座上或从电源插座上拔下之前，电烤箱应处于“关闭”状态。

可为电烤箱使用一根符合其性能参数和电压的延长线。查看位于电烤箱底部标签上的信息，或联系伊莱克斯授权服务人员。

在电烤箱的使用过程中，箱门或可接触表面的温度可能很高。因此，在电烤箱的使用过程中，除烤箱门把手和控制面板以外，切勿接触电烤箱上的任何其他表面。

确保在电烤箱的使用过程中电线不会接触到任何高温表面。

切勿将电烤箱放在燃气罐或任何其他类型的燃气设备附近。

小心灼伤！切勿触碰电烤箱的任何高温部件，并避免接触高温蒸汽。应使用电烤箱的把手。待电烤箱充分冷却后，再对其进行清洗或将其收起来。

在将附件放到电烤箱内之前，应首先检查电烤箱是否已关闭并充分冷却。

在电烤箱周围留10厘米的空间，以使空气流通顺畅。


当电烤箱处于高温状态或正在使用时，切勿盖上电烤箱或使其接触任何可燃物（包括窗帘、地毯、墙纸等），因为这可能会引起火灾。

切勿在电烤箱的上面或下面放置任何物品。


该产品不受任何外部定时器或独立遥控系统控制。

\* 为方便您的使用并确保您的安全，特规定只有接受过伊莱克斯相关培训的专业人员才有权维修该电烤箱。

# 电烤箱介绍



- 1. 玻璃门
- 2. 门把手
- 3. 液晶显示屏
- 4. 对流功能
- 5. 功能旋钮
- 6. 启动/停止
- 7. 温度/色泽按钮
- 8. 时间/片数/重量按钮
- 9. 温度/定时器旋钮
- 10. 设定




- 11. 焦脆程度
- 12. 温度
- 13. 对流图标
- 14. 片数
- 15. 比萨尺寸
- 16. 烘烤时间
- 17. 烤架
- 18. 集渣盘
- 19. 耐火比萨烤盘
- 20. 耐火普通烤盘

# 对流系统

CNS

## 对流系统

对流风扇可在食物周围产生气流，从而令烘烤更加方便、食物受热更加均匀。烤饼干、烤肉、烤比萨和重新加热时，对流风扇将默认打开。此外，您还可以在加热过程中打开该风扇。您可通过位于温度显示面板右侧的风扇图标  查看对流风扇是否已被打开。在大多数情况下，如果使用对流烘烤模式，则建议将烤箱温度降低15°C。在到达建议的烘烤时间前10分钟检查一次食物的生熟程度，以免将其烤焦。为了达到最佳烘烤效果，可通过将切成片的食物放到烤架中心位置来增强气流，去掉食物的包裹或覆盖物，并使用较浅的器皿。

## 启动/停止按钮


该按钮用于启动或停止电烤箱的烘烤功能。在电烤箱的使用过程中，液晶显示屏上将仅显示当前已选择的烘烤功能。当该按钮处于“待机模式”时，液晶显示屏上将显示所有烘烤功能。

## 可拆卸集渣盘

打开电烤箱箱门后，便可使用该集渣盘。该烤盘位于电烤箱内靠近底部的位置。

您可方便地将其拆下进行清洗。建议采用手工清洗的方式。

卸下该集渣盘前，应首先等待电烤箱充分冷却。



## 先进的烘烤技术

加热元件采用卤素和石英红外技术。这些元件利用红外光波来进行预热和烘烤食物，因此速度比传统电烤箱更快。在正常使用过程中，加热元件可自动切换开关状态，从而使食物受热更加均匀。

## 预热

由于红外加热元件加热速度极快，因此与采用传统加热元件的烤箱相比，该款电烤箱的预热时间大为缩短。例如，在烘烤功能的预热阶段，只需3分钟左右温度便可达到155°C。

# 对流系统

## 控制面板

CNS

清晰易读的大尺寸液晶显示屏可显示所有烘烤功能和已选调节功能。配备的大控制旋钮令功能选择和调节更加方便。

## 时间控制

烤面包和甜甜圈时，定时器可根据从5种烘烤程度中选择的烘烤程度显示剩余时间。烤比萨时，定时器可根据已选择的比萨块数显示剩余时间。此外，您还可对比萨的烘烤时间设置进行调节。对于所有其他功能而言，您可通过定时器调节该功能的烘烤时间，并在烘烤过程中查看剩余时间。

## 电烤箱的不粘内壁

不粘内面令电烤箱内壁的清洗更加方便。17L的空间足以容下一块30cm的比萨或6片面包。


# 烤架位置调节方法

CNS


烤架位置合适与否对于食物烘烤否均匀具有重要影响。应确保食物与烘烤元件之间至少留有2.5厘米的距离，并在烘烤过程中密切留意食物状态。当食物的上表面被烤得过焦时，可能需将食物调整到位置较低的烤架上，反之，当食物的下表面被烤得过焦时，则可能需将食物调整到位置较高的烤架上。

## 导杆


顶部导杆  
烤架正面朝上




顶部导杆  
烤架正面朝下




中间导杆  
烤架正面朝上




中间导杆  
烤架正面朝下




底部导杆  
烤架正面朝上



底部导杆  
烤架正面朝下



# 使用前须知

1. 小心拆开烤箱的所有包装，检查附件是否齐全，电烤箱及其附件是否完好无损。若发现有任何零件损坏或缺失，请联系伊莱克斯客户服务部门。
2. 取出电烤箱内的所有印刷材料并撕去包装胶带，然后打开烤箱箱门检查烤箱的内部情况。确保电烤箱内没有任何包装材料或异物。
3. 检查完毕后，将电烤箱放到桌子上，并确保其处于水平位置。
4. 卸下所有附件，用热水和洗涤剂对其进行清洗并将其彻底晾干，然后将其重新装回电烤箱上。
5. 将电烤箱连接到与其额定电压相同的电源插座上。该插座上只能连接电烤箱这一个用电设备。
6. 将电烤箱调到  模式，并在215°C下保持15分钟，然后按下“启动”按钮。
7. 完成上述步骤后，即可使用电烤箱。

## 注意：

首次使用电烤箱时，电烤箱可能会散发出轻微气味或冒出一些烟气。这属于正常现象。该现象随后便会自动消失，并不表示电烤箱存在任何故障。

## 警告：

切勿使用任何不适应烤箱高温的烤箱袋、塑料容器或玻璃器皿。

确保食物不会接触烤箱的加热元件。万一食物在烘烤过程中起火，应将烤箱箱门保持在关闭状态，立即关闭烤箱电源，并将电源线插头从插座上拔下。


**警告！** 向高温烤箱内放置食物或从中取出食物时应始终戴上防护手套。




# 功能特色

CNS

## 烘焙功能

将食物放到烤架上并调节烤架位置，以使食物处在烤箱中心位置。刚开始时可将烤架正面朝上放在底部导杆上。由于在烘焙过程中，食物因受热膨胀体积会增大，因此应将其放在烤箱内相对靠下的位置，从而为其预留一定空间。另外，由于在烘焙过程中将用到烤箱顶部和底部的加热元件，因此为确保烘焙均匀，可能需将烤架的正面调整到向上或向下位置。

在该功能下，对流功能将默认启动，以缩短烘焙时间并确保烘焙均匀。用户可通过按下对流功能控制按钮  关闭该功能。

1. 在将食物放到烤箱中心位置并关上箱门后，将菜单功能按钮旋转至  位置。
2. 在该功能下，默认温度和时间分别为155°C和30分钟。如需更改该设置，请先按下温度/色泽按钮，然后将温度/定时器旋钮旋转至期望的温度，并按下设定按钮 。按下  按钮后，您已选择或调整过的温度（或烘烤程度、时间、尺寸、片数等参数）将被写入程序。此外，也可通过按下时间/片数/重量按钮或启动/停止按钮，或仅仅等待5分钟来完成温度的自动设置。
3. 按下时间/片数/重量按钮，并旋转温度/定时器旋钮，直至达到期望的烘焙温度。
4. 按下启动/停止按钮开始烘焙。
5. 到达设置的烘焙时间后，电烤箱将发出一个声音信号，然后自动关闭。
6. 如果您希望在电烤箱发出声音信号之前将食物取出，请按下启动/停止按钮关闭电烤箱。然后便可将食物从烤箱内取出。

### 警告：


**不遵守上述说明可能造成人员伤亡、火灾或电击事故。**

## 烘烤功能

烘烤功能通常用于仅使用上部加热元件从上到下烘烤食物的情况，从而将食物的上半部分烤成诱人的金黄色。该功能常通过安装在中间或顶部导杆上的烤架烘烤食物，食物距离加热元件越近，越容易变得焦黄。但无论如何，至少应确保食物和加热元件之间留有2.5厘米的距离。如果食物被烤得过焦，则应降低烤架高度或烤箱温度。

## 功能特色

在该功能下，对流功能将默认关闭，并且可能无需启动。

1. 将待烘烤的食物放在烤架中心位置，并关上烤箱箱门。该款电烤箱没有开门烘烤功能，因此在使用过程中箱门应始终处于关上状态。
2. 将功能按钮旋转至  位置。
3. 在该功能下，默认温度和时间分别为230°C和10分钟。如需更改该设置，请先按下温度/色泽按钮，然后通过旋转温度/定时器旋钮将平均温度和最低温度分别选择为200°C和155°C。
4. 按下时间/片数/重量按钮，然后通过旋转温度/定时器旋钮设置期望的烘烤时间。
5. 按下启动/停止按钮打开电烤箱。
6. 由于红外加热元件可很快将食物烤至焦黄状态，因此须密切留意烘烤过程。
7. 如需对食物进行双面烘烤，则应分别设置每一面的烘烤时间。烤箱发出声音信号后将自动关闭，此时您可能需将食物的另一面翻过来，并重新调节烤箱，以继续烘烤食物的另一面。
8. 到达设置的烘烤时间后，电烤箱将发出一个声音信号，然后自动关闭。
9. 如果您希望在设置周期结束前将食物取出，请按下启动/停止按钮关闭电烤箱。之后便可将食物从烤箱内取出。


### 注意：

**确保待烘烤的食物和烤箱顶部加热元件之间始终留有至少2.5厘米的距离。当烤鱼、烤鸡肉或不想把食物烤得过焦时，请将烤架安装在底部位置。**

### 烤面包功能

无论面包片数多少，烤面包时应始终将面包放在烤架上，并尽可能让其靠近中心位置，以确保面包受热均匀。由于在烤面包的过程中将同时用到烤箱顶部和底部的加热元件，因此在一般情况下，将烤架正面朝上放在底部导杆上可确保受热最均匀。此外，您可能还需要根据面包的种类调节烤架位置。

与底部加热元件相比，使用顶部加热元件可以烤更多面包。在该功能下，对流系统将默认关闭，并且可能无需启动。

1. 将面包片放到烤架上。一次最多烤6片面包。如果只需要烤一两片面包，请将面包片放到烤架中心位置。
2. 关上烤箱箱门。
3. 将功能按钮旋转至  位置。

## 功能特色

CNS

4. 按下温度/色泽按钮，并通过旋转温度/定时器按钮将烘烤程度设置为期望值（将显示在液晶显示屏上）。
5. 按下时间/片数/重量按钮。然后，通过旋转温度/定时器旋钮选择要烤的面包片数。该数字将显示在液晶显示屏上。
6. 按下启动/停止按钮打开电烤箱。
7. 到达设置的时间后，电烤箱将发出一个声音信号，然后自动关闭。
8. 如果您希望在设置周期结束前将食物取出，请按下启动/停止按钮关闭电烤箱。之后便可将食物从烤箱内取出。

### 注意：

用烤箱烤新鲜面包时玻璃门上可能会凝结水滴，这属于正常现象。


### 重要信息

在烤面包功能下，时间调节功能将被烘烤程度和面包片数选择功能代替。

### 烤面包圈（贝果面包）功能

烤面包圈（和贝果面包）时，应将其切为两半，并将切面一侧朝上放到烤箱内。无论面包片数多少，应始终将面包放在烤架上，并尽可能靠近中心位置，以确保面包受热均匀。由于在烤面包的过程中将同时用到烤箱顶部和底部的加热元件，因此一般情况下，将烤架正面朝上放在底部导杆上可确保受热最均匀。此外，您可能还需要根据面包的种类调节烤架位置。

在该功能下，对流功能将默认关闭，并且可能无需启动。

1. 将面包圈（或贝果面包）片放到烤架上。一次最多烤6片面包。如果只需要烤一两片面包，请将面包片放到烤架中心位置。
2. 关上烤箱箱门。
3. 将功能按钮旋转至  位置。
4. 按下温度/色泽按钮，并通过旋转温度/定时器旋钮将烘烤程度设置为期望值（将显示在液晶显示屏上）。
5. 按下时间/片数/重量按钮，然后通过旋转温度/定时器旋钮选择面包片数。该数字将显示在液晶显示屏上。


## 功能特色


6. 按下启动/停止按钮打开电烤箱。
7. 到达设置的时间后，电烤箱将发出一个声音信号，然后自动关闭。
8. 如果您希望在设置周期结束前将食物取出，请按下启动/停止按钮关闭电烤箱。之后便可将食物从烤箱内取出。

### 烤比萨功能

烤比萨时应将其放在电烤箱附带的比萨烤盘中，从而确保当烤箱箱门关上时比萨不会接触箱门。烤架的位置应位于顶部和底部导杆之间。当用电烤箱烤冷冻或事先做好的比萨时，应遵守关于该比萨的相关说明。

电烤箱自带2、4或6块比萨的默认烘烤程序。


在该功能下，对流功能将默认启动，以缩短烘烤时间并确保烘烤均匀。用户可通过按下对流系统控制按钮  关闭该功能。


1. 将功能按钮旋转至  位置。
2. 系统预先设置的温度为200°C。如需更改该设置值，请先按下温度/烘烤程度按钮，然后将温度/定时器旋钮旋转至期望的温度。
3. 按下时间/片数/重量按钮，然后通过旋转温度/定时器按钮选择比萨数量。该数字将显示在液晶显示屏上。
4. 在该功能下，烤箱需先预热5分钟，之后将发出一个声音信号，提醒用户将比萨放入烤箱内。系统默认的标准烘烤时间为：2块比萨8分钟，4块比萨9分30秒，6块比萨13分钟。如需更改烘烤时间，请按下时间/片数/尺寸按钮，然后通过旋转温度/定时器按钮选择期望的时间。
5. 按下启动/停止按钮打开电烤箱。
6. 到达设置的时间后，电烤箱将发出一个声音信号，然后自动关闭。
7. 如果您希望在设置周期结束前将食物取出，请按下启动/停止按钮关闭电烤箱。之后便可将食物从烤箱内取出。

### 烤饼干功能

将自制或买来的饼干混料放入普通烤盘、比萨烤盘或其他适用于烤箱的器皿中，并确保这些烤盘或器皿不会妨碍烤箱箱门完全关上。将烤架正面朝下放到中间导杆上。这有利于饼干受热均匀，因为该功能将同时用到烤箱顶部和底部的加热元件。


## 功能特色


同时在该功能下，对流功能将默认启动，以缩短烘烤时间并确保烘烤均匀。用户可通过按下对流功能控制按钮  关闭该功能。

1. 将盛有饼干混料的烤模放入烤盘中。
2. 关上烤箱箱门。
3. 将功能按钮旋转至  位置。
4. 在该功能下，默认温度和时间分别为170°C和11分钟。如需更改该设置，请先按下温度/色泽按钮，然后将温度/定时器旋钮旋转至期望的温度。
5. 该功能的默认烘烤时间为11分钟。如需更改该设置，请按下时间/片数/重量按钮，然后将温度/定时器按钮旋转至期望的时间。
6. 按下启动/停止按钮打开电烤箱。
7. 到达设置的时间后，电烤箱将发出一个声音信号，然后自动关闭。
8. 如果您希望在设置周期结束前取出食物，只需按下启动/停止按钮关闭电烤箱即可。之后便可将食物从烤箱内取出。

## 重新加热功能


该功能适用于快速加热食物，并将同时用到烤箱顶部和底部的加热元件。重新加热食物时应将食物放在烤箱中心位置。并将烤架正面朝上放到底部导杆上。为确保食物受热均匀，可能需将烤架的正面调整到向上或向下位置。


在该功能下，对流功能将默认启动，以缩短加热时间并确保食物受热均匀。用户可通过按下对流功能控制按钮  关闭该功能。

1. 在将食物放到烤箱中心位置并关上箱门后，将菜单功能按钮旋转至  位置。
2. 在该功能下，默认温度和时间分别为155°C和15分钟。如需更改该设置，请先按下温度/色泽按钮，然后将温度/定时器旋钮旋转至期望的重新加热温度。
3. 按下时间/片数/重量按钮，然后通过旋转温度/定时器按钮设置期望的重新加热时间。
4. 按下启动/停止按钮开始加热。
5. 到达设置的时间后，电烤箱将发出一个声音信号，然后自动关闭。
6. 如果您希望在设置周期结束前取出食物，只需按下启动/停止按钮关闭电烤箱即可。之后便可将食物从烤箱内取出。

## 保温功能

该功能适用于食物保温，并将同时用到烤箱顶部和底部的加热元件。保温食物时应将食物放在烤箱中心位置，因此一开始可将烤架正面朝上放在底部导杆上，该位置的保温效果不错。为确保食物受热均匀，可能需将烤架的正面调整到向上或向下位置。

在该功能下，对流功能将默认启动，以缩短加热时间并确保食物受热均匀。用户可通过按下对流功能控制按钮  关闭该功能。

1. 在将食物放到烤箱中心位置并关上箱门后，将菜单功能按钮旋转至加热  位置。
2. 在该功能下，默认温度和时间分别为65°C和1小时。如需更改该设置，请先按下温度/色泽按钮，然后将温度/定时器按钮旋转至期望的保温温度。
3. 按下时间/片数/重量按钮，然后通过旋转温度/定时器旋钮设置期望的保温时间。
4. 按下启动/停止按钮开始加热保温。
5. 到达设置的时间后，电烤箱将发出一个声音信号，然后自动关闭。
6. 如果您希望在设置周期结束前将食物取出，只需按下启动/停止按钮关闭电烤箱即可。之后便可将食物从烤箱内取出。

## 清洗和保养

CNS

- 清洗前应先关掉电烤箱，并断开其电源。
- 确保电烤箱及其所有表面均已充分冷却。
- 日常清洗时可用一块干净的湿布擦洗电烤箱的外表面。
- 烤架、比萨烤盘、普通烤盘和可拆卸集渣盘均可用洗碗机清洗，但清洗时应将其放在洗碗机最上层的架子上。如选择手洗，则先用热水和洗涤剂清洗，再用清水冲洗干净，最后待其充分晾干后再将其重新装到烤箱上。
- 烤箱的内表面采用不粘材质制成。因此只能用软布或其他柔软材料擦洗。切勿使用粗糙的或金属材质的清洗用具，因为这可能会损伤该不粘表面。
- 切勿使用钢丝绒清洗烤箱。因为清洗过程中掉落的钢丝绒可能与烤箱的带电部件发生接触，从而导致电击事故。
- 切勿将电烤箱浸入水中或其他液体中清洗。
- 电烤箱的玻璃门可用湿海绵清洗，然后用纸或纸巾擦干。
- 在重新接通电烤箱的电源前，应确保其所有部件均已晾干。

### 注意：

**含糖或盐过多的食物容易粘到烤箱上，并且很难洗掉。因此，用烤箱烘烤这类食物后应立即清洗烤盘和烤架。**

## 故障排除

以下是部分常见问题的解决方法，这些问题可能会影响电烤箱的正常使用。如果该方法未能奏效，请咨询伊莱克斯授权服务人员。

| 问题描述                           | 可能的解决方法   |
|--------------------------------|---|
| 电烤箱无法启动                        | <ul style="list-style-type: none"><li>• 检查电源线的插头是否插好</li><li>• 将插头插到另一个插座上</li><li>• 重新合上总断路器（如有必要）</li></ul>                             |
| 液晶显示屏不亮                        | <ul style="list-style-type: none"><li>• 电烤箱不用时，液晶显示屏将在60秒后自动进入待机模式。此时按下任何一个按钮均可使液晶显示屏重新变亮。</li></ul>                                      |
| 旋转温度/时间按钮时，时间、温度、尺寸、片数或烘烤程度不变。 | <ul style="list-style-type: none"><li>• 设置时间、温度、尺寸、片数和烘烤程度时，如果连续5秒没有任何操作，则系统将自动选择一个默认参数。如需调整参数设置，只需按下期望更改的参数对应的按钮，然后将其调整为期望值即可。</li></ul> |
| 底部发热元件的亮度不如顶部发热元件              | <ul style="list-style-type: none"><li>• 这很正常，因为顶部发热元件为高亮度的卤素红外发热元件，而底部发热元件却不是。</li></ul>  |
| 在烘烤周期内发热元件并非一直工作。              | <ul style="list-style-type: none"><li>• 这很正常，因为在烘烤周期内，电烤箱将根据箱内实际温度调节发热元件的开关状态。</li></ul>  |
| 如比萨等较大尺寸食物的烘烤程度或焦黄不均匀。         | <ul style="list-style-type: none"><li>• 对于较大尺寸的食物（如12"比萨），当烘烤至一半时间时，将其旋转90度，便可能令焦黄变得均匀。</li></ul>   |
| 如果您在阅读过该《使用保养手册》后仍有任何问题：       | <ul style="list-style-type: none"><li>• 请拨打在该《使用保养手册》质保部分给出的电话联系我们的客户服务部门。</li></ul>  |


# 弃置

CNS

## 包装材料

包装材料符合环保要求并可回收利用。塑料部件都使用标记识别，例如 >PE<、>PS< 等。请将包装材料丢弃在社区废物弃置设施的适当容器内。

## 旧电器

产品或其包装上  的符号表示本产品不可作为生活垃圾处理，而应送至适当的收集站进行电器和电子设备的回收利用。确保合理处置本产品，有助于防止本产品废弃物的处理不当可能对环境和人体健康造成的负面影响。有关回收利用此产品的更多详细信息，请联系您的生活垃圾处理服务点，或您购买此产品的商店。

## 안전 지침

연결하기 전에 제품의 라벨에 명시된 것과 동일한 전압인지 확인하십시오.

청소 또는 보수 작업을 하기 전에는 항상 전기를 차단해야 합니다.

전원 코드를 이용하여 제품을 당기거나 끌지 마십시오.

전원 코드가 손상되지 않도록 날카로운 물체나 모서리에 닿는 일을 피하십시오.

전원 코드로 제품의 전원을 끄지 마십시오. 플러그를 사용하십시오.

전원 코드를 묶거나, 꼬거나, 잡아 당기거나 매듭을 짓지 마십시오.

전원 코드가 손상되었을 경우에는 위험한 상황을 방지하기 위해 반드시 Electrolux 고객센터나 공인된 기술자에 의해서 코드가 교체되어야 합니다.

전기 충격의 위험을 방지하기 위해 제품을 적시거나 젖은 손으로 제품을 사용하지 마십시오. 전원 코드, 플러그 또는 제품 본체를 물이나 다른 종류의 액체 또는 가연성 물질에 젖지 않도록 하십시오.

어린이 등 취급이 익숙하지 않은 사람이나 신체적, 정신적 문제가 있는 사람, 혹은 경험이나 지식이 부족한 사람이 본 제품을 사용하지 않도록 주의하십시오.

어린이가 오븐을 가지고 놀지 않도록 하십시오.

포장을 제거한 후에는 어린이가 포장재에 가까이 하지 못하게 하십시오.

제품의 손상과 취급자의 위험을 방지하기 위해 순정 예비 부품을 사용하십시오.

본 제품은 가정용입니다.

가까운 소켓에 연결하기 전에 항상 전자 오븐의 전원을 끄십시오.

전자 오븐의 특성과 전압에 일치하는 연장 코드를 사용할 수 있습니다. 제품 하단의 라벨에 명시된 정보를 확인하거나 Electrolux 고객센터에 문의하십시오.

오븐이 작동 중인 동안에는 문이나 접촉 가능한 면의 온도가 높을 수 있습니다. 따라서 작동 중에는 문의 손잡이와 제어판을 제외한 어떤 표면과도 접촉하지 마십시오.

오븐이 작동 중인 동안에는 전원 코드가 뜨거운 표면과 접촉하지 않게 하십시오.

오븐을 가스 실린더나 다른 가스 장치의 옆에 두지 마십시오.

화상을 방지하십시오! 오븐 안의 뜨거운 음식을 만지거나 뜨거운 액체의 증기와 접촉하지 마십시오. 오븐 손잡이를 이용하고 뜨거운 상태에서 청소하거나 옮기지 마십시오.

전자 오븐 안에 부속품을 넣기 전에 오븐의 전원이 꺼져 있고 뜨겁지 않은지 확인하십시오.

적절히 공기가 흐를 수 있도록 오븐 주변에 10cm의 여유 공간을 확보하십시오.

사용 중인 동안에는 오븐을 덮어두거나 커튼이나 카펫, 벽 등과 같은 가연성 재질과 접촉하면 화재가 발생할 수 있으므로 이런 행동은 삼가하십시오.


오븐 위나 아래에 다른 물체를 두지 마십시오.

본 제품은 외부 타이머나 별도의 리모컨 시스템으로 제어하도록 설계되지 않았습니다.


\* 여러분의 안전과 편의를 위해 Electrolux에 의해 교육받은 전문가만이 제품을 수리할 수 있도록 공인됩니다.

# 전자 오븐 설명

KR




- |              |               |
|--------------|---------------|
| 1. 유리문       | 6. 시작/취소      |
| 2. 문 손잡이     | 7. 온도/토스트 레벨  |
| 3. LCD 디스플레이 | 8. 시간/슬라이스/크기 |
| 4. 대류 시스템    | 9. 온도/타이머 버튼  |
| 5. 기능 버튼     | 10. 프로그램      |



- |            |                |
|------------|----------------|
| 11. 토스트 강도 | 16. 조리 시간      |
| 12. 온도     | 17. 오븐 선반      |
| 13. 대류 아이콘 | 18. 부스러기 트레이   |
| 14. 슬라이스 수 | 19. 피자용 내화 트레이 |
| 15. 피자 크기  | 20. 제빵용 내화 트레이 |

# 전자 오븐 설명

## 대류 시스템


신속 조리 팬 시스템이 음식 주변에 공기가 흐르게 하여 쉽고 균일한 조리를 가능하도록 해줍니다. 이 기능은 쿠키 베이킹, 굽기, 피자 및 재가열을 위한 기본 설정에 의해 가동됩니다. 가열 주기 동안에도 가동될 수 있습니다. 온도 디스플레이 우측의 팬 기호  는 신속 조리 팬의 가동 여부를 보여줍니다. 대부분의 경우, 대류 조리를 사용할 때는 15°C 감소를 권장합니다. 지나치게 조리되는 일을 방지하기 위해 항상 조리 완료 시간 10분 전에 음식을 확인하십시오. 최상의 결과를 위해 음식은 오븐 선반 가운데에 오게 하고, 덮여 있지 않은 상태에서 조리하며 가능하면 옆면이 낮은 도구를 사용하여 공기가 원활히 흐르게 하십시오.

## 시작/취소

전자 오븐의 조리 기능을 시작하고 취소합니다. 오븐이 사용 중인 동안에는 LCD 디스플레이에 선택된 조리 기능만 표시됩니다. 대기 상태에서는 모든 조리 기능이 표시됩니다.

## 탈착식 부스러기 트레이

오븐의 문을 열면 부스러기 트레이가 보입니다. 이 트레이는 오븐 내부의 하단에 위치합니다. 청소를 위해 이 트레이를 간단히 분리할 수 있습니다. 손으로 청소할 것을 권장합니다. 오븐이 식은 후에 트레이를 분리하십시오.



## 고급 조리 기술

온도 장치는 할로겐 및 석영 적외선 기술을 사용합니다. 이 장치는 적외선 파장을 이용해 오븐을 예열하고 기존의 오븐보다 빠르게 음식을 조리합니다. 이 장치는 음식이 보다 균일하게 조리되도록 정상적인 사용 도중에 꺼졌다 켜지는 동작을 반복합니다.

## 예열

적외선 온도 장치의 빠른 가열 성능으로 인해 기존의 온도 장치를 사용하는 토스터 오븐보다 예열 시간이 상당히 단축되었습니다. 예를 들어, 제빵 기능의 예열 단계는 155°C에 도달하기 까지 약 3분이 소요됩니다.

# 전자 오븐 설명

KR

## 제어판

읽기 쉬운 큰 LCD 디스플레이는 조리 기능과 선택한 조정 내용을 보여줍니다. 큰 제어 버튼을 통하여 기능 및 다양한 조정을 쉽게 찾아볼 수 있습니다.

## 시간 제어

빵과 도넛을 구울 때는 5가지 레벨 중에서 선택한 굽기 레벨에 따라 타이머가 자동 지속 시간을 보여줍니다. 피자의 경우, 타이머는 선택한 피자의 매수에 따라 자동 지속 시간을 보여줍니다. 그 대신 피자의 조리 시간을 조절할 수 있습니다. 다른 모든 기능의 경우, 타이머를 통하여 조리 시간을 조절하고 작동 중에 자동 지속 시간을 볼 수 있습니다.

## 음식이 들러붙지 않는 전자 오븐의 내부


음식이 들러붙지 않는 내부로 인해 내부 표면의 청소가 쉬워졌습니다. 17L 용량의 내부는 30cm의 피자를 조리하거나 6장의 식빵을 굽기에 충분한 공간을 제공합니다.

# 오븐 선반 위치 조절 방법


음식이 균일하게 조리되도록 하기 위해서는 선반을 적절한 위치에서 사용하는 것이 중요합니다. 음식이 조리 장치와 최소 2.5cm 이상 떨어져 있는지 확인하고 조리하는 동안 음식을 항상 관찰하십시오. 표면이 너무 갈색인 경우, 하단 선반 위치로 바꾸거나 밑면이 너무 갈색인 경우, 상단 위치로 변경해야 할 수 있습니다.

## 가이드 바


상단 가이드 바  
선반 면이 위를 향함




상단 가이드 바  
선반 면이 아래를 향함




중간 가이드 바  
선반 면이 위를 향함




중간 가이드 바  
선반 면이 아래를 향함



하단 가이드 바  
선반 면이 위를 향함




하단 가이드 바  
선반 면이 아래를 향함



## 전자 오븐을 사용하기 전에 알아야 것

KR

1. 모든 포장재를 상자에서 조심스럽게 제거하고 모든 부속품이 동봉되어 있으며 전자 오븐 본체와 모든 부속품이 파손되지 않았는지 확인하십시오. 파손되거나 빠진 것이 있으면 고객 센터로 연락하십시오.
2. 전자 오븐에서 인쇄물이나 테이프를 제거한 후 오븐 문을 열고 내부를 살펴보아 오븐 내부를 확인하십시오. 전자 오븐 내부에 포장재나 다른 이물질이 없는지 확인하십시오.
3. 검사를 마쳤으면 책상이나 테이블에 전자 오븐을 수평이 되도록 놓으십시오.
4. 모든 부속품을 분리해 운수와 비누로 세척한 다음 오븐에 다시 조립하기 전에 완전히 건조시키십시오.
5. 제품과 동일한 전압을 제공하는 소켓에 오븐을 연결하십시오. 같은 소켓에 전자 오븐을 제외한 다른 제품을 동시에 연결하지 마십시오.
6. 오븐을 15분간  모드에서 215°C이도록 조절한 다음 시작 버튼을 누르십시오.
7. 위의 절차가 완료되면 전자 오븐을 사용할 준비가 끝난 것입니다.

### 참고:

오븐을 처음 사용할 때는 약간의 냄새와 연기가 발생할 수 있으나 이는 정상적인 것이며 후에 이런 현상은 사라집니다. 제품에 문제가 있음을 의미하는 것은 아닙니다.

### 경고:

고온에서 사용하기에 적합하지 않은 구이용 주머니나 플라스틱 용기 또는 유리 도구를 오븐에서 사용하지 마십시오.


음식이 오븐의 가열 장치와 접촉하지 않도록 하십시오. 조리 도중 음식에 불이 붙은 경우 오븐의 문을 닫은 상태에서 즉시 전원을 끄고 소켓에서 분리하십시오.




**경고!** 음식을 뜨거운 오븐에 넣고 꺼낼 때는 항상 보호 장갑을 착용하십시오.

# 기능

## 제빵 기능

음식을 선반 위에 놓고 음식이 전자 오븐 중심에 오도록 선반 위치를 조절하십시오. 좋은 시작 위치는 선반 면이 위로 가도록 하단 가이드 바에 위치시키는 것입니다. 조리 도중 음식의 크기가 커질 것을 예상하여 음식을 전자 오븐의 낮은 위치에 둬으로써 예비 공간을 확보하십시오. 이 기능이 작동 중인 동안에는 상단과 하단 온도 장치가 작동하게 되므로 균일한 조리를 위해 선반 위치를 위/아래로 조절해야 합니다.

빠르고 균일한 조리를 위해 대류 시스템이 기본적으로 가동됩니다. 이 기능은 대류  버튼을 눌러 끌 수 있습니다.

1. 음식을 전자 오븐 가운데에 놓고 문을 닫은 다음 메뉴 기능 버튼을  으로 돌립니다.
2. 온도는 30분 동안 155° C을 유지하도록 사전 프로그래밍되어 있습니다. 이 프로그램을 변경하려면 온도/토스트 레벨 버튼을 누른 후 온도/타이머 버튼을 영수증이나 포장재에 명시된 원하는 조리 온도의 위치로 돌린 후 프로그램  버튼을 누릅니다.  버튼을 누르면 선택/조절한 온도(또는 토스트 레벨, 시간, 크기, 슬라이스)로 프로그래밍됩니다. 그러나 시간/슬라이스/크기 버튼 또는 시작/취소 버튼을 누르거나 5분 동안 기다리면 온도가 자동으로 설정됩니다.
3. 시간/슬라이스/크기 버튼을 누르고 원하는 조리 온도가 표시될 때까지 온도/타이머 버튼을 돌립니다.
4. 시작/취소 버튼을 눌러 조리를 시작합니다.
5. 시간이 경과되면 알림음이 나오며 자동으로 오븐이 꺼집니다.
6. 알림음이 나오기 전에 음식을 꺼내고 싶으면 간단히 시작/취소 버튼을 눌러 전자 오븐을 끈 다음 음식을 꺼내면 됩니다.

### 경고:

**본 지침을 따르지 않으면 사망이나 화재 또는 전기 충격이 발생할 수 있습니다.**


## 굽기 기능

굽기 기능은 일반적으로 음식을 위에서 아래로 조리하고 상단 온도 장치만을 가동하여 윗부분이 황금색을 띠도록 만들기 위해 사용됩니다. 음식이 상단 온도 장치와 가까울수록 중간 또는 상단 가이드 바를 사용해 음식이 더 빨리 익도록 할 수 있습니다. 그러나 음식과 온도 장치 사이에 최소한 2.5cm의 여유 공간을 두어야 합니다. 음식이 너무 갈색이 되면 선반의 위치를 내리거나 온도를 낮추어야 합니다.

# 기능

KR

대류 시스템은 기본적으로 가동되지 않으며 가동이 되지 않을 수도 있습니다.

1. 구우려는 음식을 선반 가운데에 놓고 오븐 문을 닫으십시오. 전자 오븐에는 문 열기 기능이 없으므로 사용 중에는 문을 닫아두어야 합니다.
2. 기능 버튼을  위치로 돌리십시오.
3. 기본적으로 온도는 10분간 230°C로 설정되어 있습니다. 온도를 변경하려면 온도/토스트 레벨 버튼을 누른 다음, 중간 온도를 원하면, 온도/타이머 버튼을 200°C 위치로, 낮은 온도를 원하면, 155°C 위치로 돌리십시오.
4. 시간/슬라이스/크기 버튼을 누른 다음 온도/타이머 버튼을 돌려 원하는 조리 시간을 설정하십시오.
5. 시작/취소 버튼을 눌러 오븐을 켜십시오.
6. 적외선 장치로 황금색 부분이 매우 빠르게 형성될 수 있으므로 굽는 동안 음식을 관찰하십시오.
7. 음식의 양쪽을 구우려면 양쪽의 굽기 시간을 설정하십시오. 신호음이 들리면 오븐이 자동으로 꺼지며 음식을 뒤집고 반대쪽의 조리 시간을 설정할 수 있습니다.
8. 시간이 경과되면 신호음이 들리고 오븐이 자동으로 꺼집니다.
9. 조리가 끝나기 전에 음식을 꺼내려면 간단히 시작/취소 버튼을 눌러 오븐을 끈 다음 음식을 꺼내면 됩니다.


## 참고

구우려는 음식과 오븐의 상단 온도 장치 사이에는 항상 2.5cm의 간격이 있어야 합니다. 생선이나 치킨을 조리하거나 음식을 너무 익히는 것을 원하지 않는 경우 오븐 선반을 하단 위치에 놓으십시오.

## 토스트 기능

빵의 슬라이스 수에 관계없이, 빵은 균일한 조리를 위해 항상 최대한 오븐 선반의 윗면 가운데에 두어야 합니다. 보통 선반 면이 위를 향하는 하단 가이드 바를 사용할 때 가장 좋은 결과를 얻을 수 있는데 이것은 이 기능을 사용할 때 상단 및 하단 온도 장치가 작동을 시작하기 때문입니다. 구우려는 빵의 종류에 따라 적절히 선반 위치를 조절하십시오.

상단 온도 장치는 하단 장치보다 강하게 토스트 기능을 합니다. 대류 시스템은 기본적으로 꺼져있으며, 활성화 되지 않을 수도 있습니다.

1. 직접 구우려는 빵을 오븐 선반 위에 올려 놓습니다. 한 번에 6장의 빵을 동시에 구울 수 있습니다. 한 두 장의 빵만 구우려는 경우, 빵을 오븐 선반 가운데에 두십시오.
2. 전자 오븐의 문을 닫으십시오.
3. 기능 버튼을  위치로 돌리십시오.

4. 온도/토스트 레벨 버튼을 누르고 원하는 토스트 레벨이 LCD 디스플레이에 표시될 때까지 온도/타이머 버튼을 돌리십시오.
5. 시간/슬라이스/크기 버튼을 누른 다음 온도/타이머 버튼을 돌려 구우려는 빵의 장 수를 선택하십시오. 이 숫자는 LCD 디스플레이에 표시됩니다.
6. 시작/취소 버튼을 눌러 오븐을 켭니다..
7. 시간이 경과되면 신호음이 들리고 오븐이 자동으로 꺼집니다.
8. 조리가 끝나기 전에 음식을 꺼내려면 간단히 시작/취소 버튼을 눌러 오븐을 끈 다음 음식을 꺼내면 됩니다.

## 참고:

**젖었거나 신선한 빵을 구울 때 유리에 물방울이 맺히는 것은 정상적인 현상입니다.**


## 중요

**전자 오븐이 토스트 기능으로 사용 중인 경우 시간 조절은 토스트 레벨과 슬라이스 수로 대체됩니다.**

## 롤빵 기능(베이글)

롤빵(및 베이글)은 반으로 잘라 절단면이 위로 가도록 놓아야 합니다. 장수에 관계 없이 롤빵은 균일한 결과를 위해 항상 선반 위에 직접 두어야 하며 최대한 가운데에 있어야 합니다. 보통 선반 면이 위를 향하는 하단 가이드 바를 사용할 때 가장 좋은 결과를 얻을 수 있는데 이것은 이 기능을 사용할 때 상단 및 하단 온도 장치가 작동을 시작하기 때문입니다. 구우려는 빵의 종류에 따라 적절히 선반 위치를 조절하십시오.

대류 시스템은 기본적으로 꺼져있으며, 활성화 되지 않을 수도 있습니다.

1. 직접 구우려는 롤빵(또는 베이글)을 반으로 잘라 선반 위에 놓으십시오. 동시에 6장까지 구울 수 있습니다. 두 장만 구우려는 경우, 빵을 오븐 선반 가운데에 놓으십시오.
2. 전자 오븐의 문을 닫으십시오.
3. 기능 버튼을  위치로 돌리십시오.
4. 온도/토스트 레벨 버튼을 누르고 원하는 토스트 레벨이 LCD 디스플레이에 표시될 때까지 온도/타이머 버튼을 돌리십시오.
5. 시간/슬라이스/크기 버튼을 누른 다음 온도/타이머 버튼을 돌려 구우려는 빵의 매수를 선택하십시오. 이 숫자는 LCD 디스플레이에 표시됩니다.

# 기능


KR


- 시작/취소 버튼을 눌러 오븐을 켭니다.
- 시간이 경과되면 신호음이 들리고 오븐이 자동으로 꺼집니다.
- 조리가 끝나기 전에 음식을 꺼내려면 간단히 시작/취소 버튼을 눌러 오븐을 끈 다음 음식을 꺼내면 됩니다.

## 피자 기능

피자는 제공된 피자 굽기용 트레이를 사용해 조리해야 하며 이 트레이는 문이 완전히 닫혔을 때 문과 접촉하지 않도록 오븐 안에 삽입되어야 합니다. 선반은 가이드 바 사이에 와야 합니다. 냉동 피자나 이미 조리된 피자는 해당 음식 판매자의 지침을 따르십시오.

본 전자 오븐은 기본적으로 2/4/6장의 피자를 조리하도록 프로그래밍되어 있습니다.


빠르고 균일한 조리를 위해 대류 시스템이 기본적으로 가동됩니다. 이 기능은 대류  버튼을 눌러 끌 수 있습니다.


- 기능 버튼을  위치로 돌리십시오.
- 온도는 200° C로 사전 프로그래밍되어 있습니다. 사전 프로그래밍된 온도를 변경하려면 온도/토스트 레벨 버튼을 누른 다음 온도/타이머 버튼을 원하는 온도 위치로 돌리십시오.
- 시간/슬라이스/크기 버튼을 누른 다음 온도/타이머 버튼을 돌려 구우려는 피자의 장 수를 선택하십시오. 이 숫자는 LCD 디스플레이에 표시됩니다.
- 5분의 오븐 예열시간을 가진 후 오븐에 피자를 넣으라는 신호음이 발생하도록 설정되어 있습니다. 기본적으로 일반적인 피자 2장에 필요한 조리 시간은 8분이며 4장에는 9분 30초, 6장에는 11분의 시간이 필요합니다. 조리 시간을 변경하려면 시간/슬라이스/크기 버튼을 누른 후 온도/타이머 버튼을 돌려 원하는 시간을 선택하십시오.
- 시작/취소 버튼을 눌러 오븐을 켭니다.
- 시간이 경과되면 신호음이 들리고 오븐이 자동으로 꺼집니다.
- 조리가 끝나기 전에 음식을 꺼내려면 간단히 시작/취소 버튼을 눌러 오븐을 끈 다음 음식을 꺼내면 됩니다.

## 쿠키 기능

직접 만들었거나 준비된 쿠키 반죽을 제빵 트레이나 피자 조리용 트레이 또는 오븐에 사용할 수 있는 다른 대용품 위에 올려 놓습니다. 대용품을 사용하는 경우 문을 완전히 닫을 수 있어야 합니다. 중간 가이드 바 위치에서 선반 면이 아래를 향하게 하십시오. 이렇게 하면 균일한 조리가 가능해지는데 그 이유는 이 기능을 사용할 때 상단 및 하단 온도 장치가 작동을 시작하기 때문입니다.


# 기능


빠르고 균일한 조리를 위해 대류 시스템이 기본적으로 가동됩니다. 이 기능은 대류  버튼을 눌러 끌 수 있습니다.

1. 쿠키 반죽이 든 제빵용 틀을 제빵 트레이에 올려 놓으십시오.
2. 전자 오븐의 문을 닫으십시오.
3. 기능 메뉴를  위치로 돌리십시오.
4. 온도는 11분 동안 170°C로 사전 프로그래밍되어 있습니다. 사전 프로그래밍된 온도를 변경하려면 온도/토스트 레벨 버튼을 누른 다음 온도/타이머 버튼을 원하는 온도 위치로 돌리십시오.
5. 기본 설정 시간은 11분입니다. 기본 설정 시간을 변경하려면 시간/슬라이스/크기 버튼을 누른 다음 온도/타이머 버튼을 원하는 온도 위치로 돌리십시오.
6. 시작/취소 버튼을 눌러 오븐을 켭니다.
7. 시간이 경과되면 신호음이 들리고 오븐이 자동으로 꺼집니다.
8. 조리가 끝나기 전에 음식을 꺼내려면 간단히 시작/취소 버튼을 눌러 오븐을 끈 다음 음식을 꺼내면 됩니다.

## 재가열 기능

음식을 빨리 데울 때 이상적인 이 기능은 상단 및 하단 온도 장치를 사용합니다. 음식은 전자 오븐의 가운데에 위치해야 합니다. 선반 면이 위를 향하도록 하여 하단 가이드 바를 사용하십시오. 균일한 가열을 위해 위/아랫면을 뒤집어야 할 수 있습니다.

빠르고 균일한 조리를 위해 대류 시스템이 기본적으로 가동됩니다. 이 기능은 대류  버튼을 눌러 끌 수 있습니다.


1. 음식을 전자 오븐 가운데에 놓고 문을 닫은 다음 메뉴 버튼을  위치로 돌리십시오.
2. 온도는 15분간 155°C로 사전 프로그래밍되어 있습니다. 이 설정을 변경하려면 온도/토스트 레벨 버튼을 누른 다음 온도/타이머 버튼을 원하는 재가열 온도 위치로 돌리십시오.
3. 시간/슬라이스/크기 버튼을 누른 다음 온도/타이머 버튼을 돌려 원하는 재가열 시간을 설정합니다.
4. 시작/취소 버튼을 눌러 재가열을 시작합니다.
5. 시간이 경과되면 신호음이 들리고 오븐이 자동으로 꺼집니다.
6. 조리가 끝나기 전에 음식을 꺼내려면 간단히 시작/취소 버튼을 눌러 오븐을 끈 다음 음식을 꺼내면 됩니다.


# 기능

KR

## 가열 기능

음식을 따뜻하게 유지하기 위해 이상적인 이 기능은 상단 및 하단 온도 장치를 사용합니다. 음식은 전자 오븐의 가운데에 위치해야 하며 따라서 선반 면이 위를 향하는 하단 가이드 바가 좋은 시작 위치입니다. 균일한 가열을 위해 위/아랫면을 뒤집어야 할 수 있습니다.

빠르고 균일한 조리를 위해 대류 시스템이 기본적으로 가동됩니다. 이 기능은 대류  버튼을 눌러 끌 수 있습니다.

1. 음식을 전자 오븐 가운데에 놓고 문을 닫은 다음 메뉴 버튼을 가열  위치로 돌리십시오.
2. 온도는 1시간 동안 65°C로 사전 프로그래밍되어 있습니다. 이 설정을 변경하려면 온도/토스트 레벨 버튼을 누른 다음 온도/타이머 버튼을 원하는 가열 온도 위치로 돌리십시오.
3. 시간/슬라이스/크기 버튼을 누른 다음 온도/타이머 버튼을 돌려 원하는 가열 시간을 설정합니다.
4. 시작/취소 버튼을 눌러 가열을 시작합니다.
5. 시간이 경과되면 신호음이 들리고 오븐이 자동으로 꺼집니다.
6. 조리가 끝나기 전에 음식을 꺼내려면 간단히 시작/취소 버튼을 눌러 오븐을 끈 다음 음식을 꺼내면 됩니다.

## 청소 및 보수

- 청소를 하기 전에는 먼저 오븐의 전원을 끄고 전원 콘센트를 분리하십시오.
- 전자 오븐과 모든 표면이 식도록 충분한 시간을 두십시오.
- 일일 청소를 위해서는 깨끗한 젖은 천으로 외부를 닦으십시오.
- 오븐 선반, 피자 트레이, 제빵 트레이, 부스러기 트레이는 식기용 세제를 사용해 닦을 수 있지만, 기기의 상단 선반에서 닦아야 합니다. 손으로 닦으려면 온수와 세제를 사용해 닦고 행군 다음 전자 오븐에 다시 설치하기 전에 완전히 말리십시오.
- 오븐 내부는 음식이 들러붙지 않는 표면으로 제조되었습니다. 부드러운 천이나 표면이 부드러운 소재로만 닦으십시오. 표면에 손상이 발생할 수 있으므로 연마성 또는 금속성 클리너로 내부를 닦지 마십시오.
- 강철 수세미를 사용하지 마십시오. 전자 부품과 접촉하여 전기 충격을 입을 수 있습니다.
- 전자 오븐을 물이나 다른 액체에 적시지 마십시오.
- 유리문은 젖은 스펀지로 닦은 다음 종이나 종이 타월로 닦아 말려야 합니다.
- 다시 전기를 연결하기 전에 제품의 모든 부분이 건조되었는지 확인하십시오.

### 참고:

**설탕과 소금이 첨가된 음식은 모든 표면에 들러붙어 청소하기 매우 어렵습니다. 이런 음식을 조리한 후에는 바로 트레이와 선반을 청소하십시오.**

## 문제 해결

KR

Electrolux는 고객이 가정에서 기기의 성능을 저하할 수 있는 몇 가지 문제를 식별할 수 있도록 교육하고 있습니다. 성능이 개선되지 않으면 Electrolux 고객 센터에 문의하십시오.

| 문제  | 가능한 해결방법  |
|---|---|
| 오븐이 켜지지 않습니다.   | <ul style="list-style-type: none"> <li>• 플러그가 소켓에 잘 꽂혀 있는지 확인합니다.</li> <li>• 전원 코드를 다른 소켓에 연결해봅니다.</li> <li>• 필요한 경우, 일반 회로 차단기를 재가동합니다.</li> </ul>     |
| LCD 디스플레이가 켜지지 않습니다.                                  | <ul style="list-style-type: none"> <li>• 디스플레이는 오븐을 60초 이상 사용하지 않으면 대기모드에 들어갈 수 있습니다. 아무 버튼이나 눌러 디스플레이의 조명을 켤 수 있습니다.</li> </ul>                        |
| 온도/타이머 버튼을 돌려도 시간, 온도, 크기, 슬라이스 또는 토스트 레벨이 변경되지 않습니다. | <ul style="list-style-type: none"> <li>• 시간, 온도, 크기, 슬라이스, 토스트 레벨의 설정은 5초 동안 조작하지 않으면 자동으로 설정됩니다. 설정을 변경하려면 해당 옵션의 버튼을 누른 후 원하는 대로 변경하면 됩니다.</li> </ul> |
| 하단의 온도 장치가 상단의 것처럼 밝지 않습니다.                           | <ul style="list-style-type: none"> <li>• 이 상태는 정상입니다. 상단 온도 장치는 밝은 빛을 내는 할로겐 적외선을 사용하는 반면 하단의 장치는 그렇지 않기 때문입니다.</li> </ul>                              |
| 조리하는 동안 온도 장치가 계속 켜져 있지 않습니다.                         | <ul style="list-style-type: none"> <li>• 이 상태는 정상입니다. 오븐은 조리하는 동안 온도 장치를 껐다 켜는 동작을 반복하며 온도를 조절하기 때문입니다.</li> </ul>                                      |
| 피자와 같이 큰 음식이 균일하게 조리되지 않거나 일정한 갈색을 띄지 않습니다.           | <ul style="list-style-type: none"> <li>• 12인치 피자과 같은 큰 음식은 조리 시간의 반이 지났을 때 90도로 돌려놓으면 균일한 갈색을 띄게 만들 수 있습니다.</li> </ul>                                  |
| 본 사용자 매뉴얼을 읽었지만 여전히 질문이 있습니다.                         | <ul style="list-style-type: none"> <li>• 본 사용자 매뉴얼의 보증 부분에 기재된 전화번호로 고객 센터에 문의하십시오.</li> </ul>  |


# 폐기

## 포장재

KR

포장재는 환경 친화적인 것을 사용하였기 때문에 재활용이 가능합니다. 플라스틱 부품에 <PE>, <PS> 등의 표시가 되어 있습니다. 포장재는 적합한 용기에 넣어 각 지역의 폐기물 처리 장소에 버립니다.

## 오래된 제품

기호  는 이 제품을 일반 가정용 폐기물로 처리해서는 안 됨을 나타냅니다. 그 대신 전기 및 전자 장비 재활용을 담당하는 해당 수집소에 보내서 처리하도록 해야 합니다. 제품을 올바르게 폐기 처분하면 환경과 인류에 미치는 잠재적인 부정적 영향을 방지할 수 있습니다. 이 제품의 재활용에 관한 자세한 설명은 가정용 폐기물 서비스 센터 또는 제품 구매처로 문의하시기 바랍니다.

## 中国

伊莱克斯（中国）电器有限公司 上海小家电分公司  
中国，上海，闸北区共和新路1968号8号楼  
1107/1108室  
办公电话：+86 21 6095 8300  
传真：+86 21 2603 5234  
售后服务：+86 800 820 0096  
网站：www.electrolux.com.cn

## 台湾

伊莱克斯股份有限公司 台湾分公司  
22065新北市板桥区縣民大道2段68號9F  
免付費客服專線：0800-888-259  
傳真：886-2-8964-5269  
電郵：service@electrolux.com.tw  
網站：www.electrolux.com.tw

## KOREA

Electrolux Korea limited  
East Tower 11F Signature Towers Seoul,  
99 Supyo-dong, Jung-gu, Seoul, 100-230  
Korea  
Tel : +(82) 2 6020-2200  
Fax: +(82) 2 6020-2271~3  
Customer Care Services : +(82) 1566-1238  
Email : homecare@electrolux.co.kr  
Website: www.electrolux.co.kr

## INDONESIA

PT Electrolux Indonesia  
Gedung Plaza Kuningan - Menara Utara 2nd Floor,  
Suite 201.  
Jl. HR Rasuna Said kav C 11-14, Karet Setiabudi  
Jakarta Selatan 12940  
Indonesia  
Tel: +(62) 21 522 7099  
Fax: +(62) 21 522 7098  
Customer Care Services: +(62) 21 522 7180  
Email: customercare@electrolux.co.id  
Website: www.electrolux.co.id

## PHILIPPINES

Electrolux Philippines Inc.  
25th Floor Equitable Bank Tower  
8751 Paseo De Roxas,  
Makati City 1226  
Philippines  
Tel: +(63) 2 845 4510 Ext. 2273  
Fax: +(63) 2 845 4548  
Customer Care Trunkline: +(63 2) 845-CARE (2273)  
Email: wecare@electrolux.com  
Website: www.electrolux.com.ph

## THAILAND

Electrolux Thailand Co Ltd  
Electrolux Building  
14th Floor 1910 New Petchburi Road  
Bangkapi, Huay Kwang  
Bangkok 10310  
Thailand  
Tel: +(66) 2 725 9100  
Fax: +(66) 2 725 9299  
Customer Care Services: +(66) 2 725 9000  
Email: customercare@electrolux.co.th  
Website: www.electrolux.co.th

## VIETNAM

Electrolux Vietnam Ltd  
Floor 9th, A&B Tower  
76 Le Lai Street  
Ben Thanh Ward - District 1  
Ho Chi Minh City  
Vietnam  
Tel: +(84) 8 3910 5465  
Fax: +(84) 8 3910 5470  
Customer Care Services: 1800-58-8899  
Email: customer.care@electrolux.com.vn  
Website: www.electrolux.vn

## MALAYSIA

Electrolux Home Appliances Sdn Bhd  
7th Floor, Tower 2, Jaya33  
No. 3, Jalan Semangat, Seksyen 13,  
46100 Petaling Jaya, Selangor  
Malaysia  
Tel: +(60) 3 7843 5999  
Fax: +(60) 3 7955 5511  
Customer Care Services: 1300-88-1122  
Email: Malaysia.customercare@electrolux.com  
Website: www.electrolux.com.my

## SINGAPORE

Electrolux SEA Pte Ltd  
No. 11, Lorong 3,  
Toa Payoh, #01-13/14/15,  
Jackson Square Block B,  
Singapore 319579  
Tel: +(65) 6507 8900  
Fax: +(65) 6356 5489  
Customer Care Services: +(65) 6507 8699  
Email: customer-care.sin@electrolux.com.sg  
Website: www.electrolux.com.sg



Share more of our thinking at  
[www.electrolux.com](http://www.electrolux.com)

Product specifications and colours are subject to changes and vary from country to country

APAC-EOT6503S-IFU-1